

# Torako Yui

## HL Series - Homoeopathic Approach to Developmental Disorders - Vol 2

Leseprobe

[HL Series - Homoeopathic Approach to Developmental Disorders - Vol 2](#)  
von [Torako Yui](#)



<http://www.narayana-verlag.de/b6365>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH  
Blumenplatz 2  
D-79400 Kandern  
Tel. +49 7626 9749 700  
Fax +49 7626 9749 709  
Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)  
<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen und englischen Homöopathie Bücher vorgestellt.



#### **Case 4: Autism, severe retardation of speech and language, and attention deficit hyperactivity disorder (ADHD) (boy, 8 years old)**

- Characteristics

Epileptic. Constantly moves around and wants to touch everything he sees. Utters only "aa" or "ee" and cannot have a conversation. Cannot play with other children. When he was born, he had a big hole at the tip of the nose. Even though his tongue is short, it is always out of the mouth. It was said that his heart had a hole, but there was no abnormality at a regular check-up for one-month-old babies. Masturbates. He moves his hands rapidly all the time when he plays a game.

- Maternal behaviours and conditions during pregnancy
- Had tooth fillings.
- Took iron tablets for anaemia.
- Administered with a tocolytic drug.
- Administered with an embolic drug due to gestational toxicosis

As she had moved to an unfamiliar place after marriage without anyone to depend on, she was anxious about having

her first baby. In the fifth months of pregnancy, she went to a concert and had bleeding which somehow stopped eventually. Delivery was only 1 week earlier than the due date but the baby was small, weighing 2,150 g.

Observations: She is an adrenalin type. Anxious, and worried as she has no one to depend upon.

- The boy's conditions after birth and history of vaccination
- Had a hole at the tip of the nose at birth.
- Stayed in an incubator for 1 week.
- Had jaundice on the 3rd day and received ultraviolet light therapy.
- Diagnosed with plethora and had glucose dripping through arms and legs.
- Fed with formulated powdered milk up to 3 months old (but he did not drink much).
- 4 months old: BCG vaccination
- 6 months old: Fever - Diarrhoea, discharge from ears and dehydration due to vomiting and diarrhoea —> Admission to the hospital (on a drip for 3 days).

Polio vaccination. Fell down on his face to a concrete floor from the height of 1 m.

- 1 year old: Vomiting and diarrhoea due to enteritis  
Admission in a hospital for 1 week.

Polio vaccination. He moves around a lot.

- 1 year and 2 months old: Measles vaccination
- 1.5 years old: Media otitis, roseola infantum- Used a steroid and zinc ointment.
- 1.5-2 years old: Had media otitis repeatedly and cut the eardrum every time. Anaesthetized.
- 2 years old: A sister was born. He had started to talk a few words then but stopped talking. Started to walk. Had otitis. Became hyperactive.
- 2 years and 2-4 months: DPT vaccination (3 times) ->• his arm was swollen up to the shoulder.
- 2 years and 6 months old: Chicken pox vaccination
- 2 years and 8 months old: Mumps vaccination
- 3 years old: Diagnosed with autism/ADHD. Touches the genital organ. Contracted influenza and had a high fever for 3 days.
- 3 years and 2 months old: DPT vaccination
- 3 years and 7 months old: Japanese encephalitis vaccination (twice)
- 3 years and 11 months old: Influenza vaccination (twice)
- 4 years old: Suppressed hand, foot and mouth disease with medication. Started to have sores in the mouth.
- 4 years and 9 months old; Banged the chin and had 2 stitches. Anaesthetized.
- 5 years old: Bitten at the thigh by a dog.

- 6 years old: Had an operation to expand the cranium for brain development (systemic anaesthesia) and used some bolts. Later had another operation to take the bolts off (systemic anaesthesia).
- 7 years old: Cannot communicate with children around the same age.

Observations: Vaccinated 11 times. Had cranial operations twice and anaesthesia 5 times. Suppression of symptoms with ointment.

\*1 March, 2006

Indicated remedies

- 1) Anti-miasm remedy
- 2) Zincum-mur. (chloride of zinc), cortisone, mercurius (mercury), kali-alumina-sulph. (alum)
- 3) Neon (neon gas)

Observations: He had pus coming out from the root of the nose. Had an eruption on the nose (where there was a hole at birth). Five to six hairs grew on the nose and later fell off. Had running nose for 10 days. Touches the genital organ. Pretends to do martial arts against the ceiling.

\*31 May, 2006

Indicated remedies

- 1) Arnica (leopard' s bane)
- 2) Bufo (toad)
- 3) Ferrum met. (iron)

Outcome: Now able to laugh. Cries when others are scolded even when he is not involved. Becomes angry to an angry person. Calls his mother by using a hand gesture. Still hyperactive and cannot pay attention.

9 May, 2007 Indicated

remedies

- 1) Cuprum arsenicosum (arsenite of copper)
- 2) Anti-miasm remedy
- 3) Bufo (toad), cannabis sativa (hemp)

Observations: Had nose bleeding. Expectoates sputum and blood clots when coughing. Had a fever. Started to say "mummy" but bites when he feels unpleasant, so the mother's legs are bruised all over. The mother says that he may bite out of frustration because he is not understood due to poor speech.

27 June, 2007 Indicated remedies 1) Remedy combination  
tincture against 8 vaccines

76

- 2) Lyssin (rabies)
- 3) Anti-miasm remedy

Outcome: Started to have self-consciousness and shows emotions. When things do not work as he wishes, he bangs objects showing anger, bites people, and holds a knife toward others. The mother is worried about domestic violence if he continues to behave like this. His sister is also scared. This boy is always being scolded by his father. The father cannot accept him very well.

11 July, 2007

Indicated remedies (as emergency help)

- 1) Alumina (oxide of aluminum) + mercurius (mercury) + syphilinum (syphilis)

As it was suspected that aluminum and mercury were affecting him and made him hold knives or sharp tools, I sent these remedies immediately for him to take. I also told them to use a spray bottle if he refuses to take the remedies. It is necessary to use these remedies as soon as possible to prevent unfortunate incidents.

When the body is discharging aluminum and mercury out of the brain nerves, the patient may become violent like this, but repeated use of alumina and mercurius (and syphilinum if necessary) will prevent a disaster.

12 August, 2007

Indicated remedies

- 1) Remedy combination tincture against 8 vaccines
- 2) Remedy combination tincture for the intestine
- 3) Remedy combination tincture for stress relief
- 4) Support remedy for the kidney

Outcome: Had hives on the chest and the abdomen (for 3 days). Had athlete's foot (it is a very good sign). Is able to communicate. Has become calm and gentle. Has become nice to a pet dog. He told me the dog's name and showed me the dogs photo on the screen of the mobile phone. When I said, "What a pretty dog!" he smiled at me. Is now able to show much of his emotions. A dent on the head due to the operation improved. The mother feels sorry for him because his father does not try to understand and scolds him often. His gaze looks stable.

27 September, 2007

The same remedies as the previous prescription were given since he made a great progress.

Outcome: Yawns a lot. Gets angry at trifling matters. When the mother gets angry, he also gets angry with her. Had hives many times. Athlete's foot is getting worse.

78



Torako Yui

[HL Series - Homoeopathic Approach to Developmental Disorders - Vol 2](#)

228 Seiten, kart.  
erschienen 2008



Mehr Homöopathie Bücher auf [www.narayana-verlag.de](http://www.narayana-verlag.de)