


Timothy Field Allen Handbook of Materia Medica & Homoeopathic Therapeutics

Leseprobe

[Handbook of Materia Medica & Homoeopathic Therapeutics](#)
von [Timothy Field Allen](#)



<http://www.narayana-verlag.de/b5>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH

Blumenplatz 2

D-79400 Kandern

Tel. +49 7626 9749 700

Fax +49 7626 9749 709

Email info@narayana-verlag.de

<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen
und englischen Homöopathie Bücher vorgestellt.



Easily heated. Heat at night, with thirst; H. at night, with moisture of skin; frequent rising, in evening, with redness and burning of cheeks; anxious, before menses. Hot feet. Burning of lobule of r. ear. Heat in head in evening in bed. > rising, with anxiety; of head and upper part of body at night in bed, with coldness of legs, then chilliness towards morning; in forehead in forenoon, with heaviness and external coldness of it; face arid head in afternoon; in face during dinner, with sweat. Flushes of heat in cheeks, with redness. Heat in palms in morning; in hand in evening as he went into the open air and sat down; of feet while walking and swelling of them while sitting.

Sweat in morning after waking; *at night*; as soon as he closes the eyes; when eating; when eating warm food; when walking; when walking in open air. Offensive sweat at night. S. which colors the linen yellow. Exhausting, at night. On head at night. Much moisture in axillae. Sweat of feet; in hollows of knees on waking after midnight, with swelling of fingers.

Carbo Vegetabilis.

The finest birch (or beech)¹ charcoal is triturated for use.

General Action.—A tissue remedy. It seems to have a marked effect on the digestion and in a general way acts as a tonic in conditions of great prostration. It seems also to control haemorrhages, especially in older persons.

Compare The Carbons, Lycopod., Phosph., Sepia, Sec. c.

Generalities.—A wound from a stab began to bleed again at various times. Trembling every afternoon from uneasiness and anxiety, with feeling as if he had committed a great crime, ending in violent weeping, even in the street; T. from uneasiness and anxiety, with inability to remain in any place; with prostration. Starting at night on account of noises, with shivering in back. Stitches over whole body in warmth of bed; itching, in the side on which he was lying in evening. *Tearing in various places* at night in bed; *in various places, with drawing pain*; in morning on waking, in l. shoulder, then in r. hand, then in r. upper incisors; here and there, in l. side of occiput, l. half of face, l. shoulder, l. thigh; etc., with pressure in arms and legs.

Rheumatic drawings in whole body, with coldness of hands and feet. Rheumatic pains and lameness, worse in arms and thighs. Drawing pain in most parts, especially below breast, in neck and arms. Every member of the body hurts, also the back, with headache and weakness. Anguish in all vital organs. *Uneasiness*; in evening; at night, with drawing pains in limbs; *preventing sleep.* Inability to rest in any other position than with limbs drawn up against abdomen. Disinclination for physical exertion. Indolence in morning, with weariness, trembling in all limbs and sweating easily; I. in evening, with sleepiness and indisposition. Sick and weary, as if he had just risen from a serious illness.

Weakness; in morning in bed; in morning in bed, especially in joints, > rising; in morning on rising; in morning, with trembling of limbs and feeling about stomach as after too much wine; *in morning, with stretching of limbs*; towards noon, with inclination to lean

head against something and to rest, empty feeling in head and hunger; in evening; after breakfast; after dinner; after stool; after the pains; *after a short walk in open air*; < morning, with faintness; < *walking, > sitting, mostly in arms when writing*; sudden, when walking in open air; *sudden attacks of faintlike*; in forenoon, as from stupefaction; in evening, as after great loss of blood; tremulous, after stool; especially > in limbs. Attacks of faintness, even to sinking down, with vertigo, then griping in abdomen as in diarrhoea, though he had an ordinary stool. Numbness of all external parts. Most symptoms appear when walking in open air.

Clinical.—Tendency to haemorrhage in low types of disease, as in pernicious anaemia, purpura, typhoid fever, etc. Tendency to putrid decomposition. Sometimes indicated after excesses. Faints readily, especially as the result of debilitating diseases. In the collapsed stage of various diseases the *patient wants to be fanned constantly*, with general fetid odors, bluish appearance of the skin. Senile gangrene, humid leg; varicose ulcers burn at night, offensive discharge, purple all around. The veins are swollen and livid.

Mind.—Excitement in evening, with distended veins. Anguish, < evening. Anxiety during and after eating; after stool, with sensation of trembling and involuntary movements; during the pains, with heat; increasing in evening, with heat in face; *in evening so that he could scarcely remain lying*; as in fever, with coldness of hands and trembling; inexpressible, from 4 to 6 every afternoon; trembling, in morning on waking; *as if oppressed*; in evening after lying down, as from oppression of chest, with heat in head and hands, sweat on forehead, inability to remain in bed on account of a sensation as if the heart would be pressed downward, objects seem to become constantly narrower and smaller, and when the room was dark horrible visions. Discouragement and fear. Weeping mood; with desire to shoot himself; lachrymose, afraid of everything, and he seemed to despair. Unhappiness with every little pain.

Violent mood; in forenoon. *Irritability*; after eating; with mental exhaustion; with-hurry in business; with confusion of head. *Anger*; in involuntary outbreaks. Impatience; with desperation and desire to shoot himself. *Indifference*; to music, of which he is fond. Cried easily over sad events and laughed over trifles till tears came. Easily excited to foolish mirth, and, when laughing, muscles of arms and hands became relaxed. Immoderately jovial, but easily put out of humor.

Ideas flow slowly, they constantly turn about one object, with sensation as if head were bound; ideas slow, confused, with periodical loss of memory. Disinclination to think. Peculiar mental weakness, with confusion. *Periodic want of memory*; sudden loss of memory.

Head.—*Stitches through H. when coughing*; S. in evening in bed, extending into occiput; here and there, extending into H., with general painfulness of surface of brain. Tearing in frequent attacks, extending to r. temple; T., sometimes starting from limbs and ending in head. Aching; at night; after eating; from sudden change from warmth to cold; with heaviness in forehead; and on stooping it seems to press outward in occiput and forehead. *Throbbing headache*; *during respiration*, and in teeth; in afternoon; in evening in bed, with difficult breathing. Headache in attacks, in several places, associated with flatulence. Jerking-

aching. Paroxysmal aching, with drawing. Drawing aching here and there, especially in forehead, extending to above root of nose; here and there externally. Pain as if too full. Contracting pain; < motion; headache which contracts the eyes, during menses. Pain as in beginning of coryza. Burning pain, evenings in bed, especially on vertex, and extending to forehead.

The hat pressed upon the head like a heavy weight, and the sensation continued even after taking it off, as if the head were bound up with a cloth (Phos. in part).

Heaviness; leaden. Tension in brain, more like a confusion than a pain; spasmodic tension of brain. *Confusion; in morning after rising, > lying down, with inability to think easily and necessity to make a great exertion as if rousing him from a dream; after midday nap; in evening after walking; after dinner; with pressure in forehead; which makes thought difficult.*

Buzzing, as from bees. Noise from reading. *Rush of blood; with hot forehead and confusion of head.* Sensation as of rush of blood several times on waking in night, with bristling of hair, anxiety, shivering, sensation as if some one stroked the body, a kind of formication on every movement, and such acute hearing that the slightest noises re-echoed in ears. Pulsation as if he would have apoplexy, waking several times at night, with anxiety, soon after waking he came to his senses and felt that it was an illusion, for the pulsation had disappeared, as he looked for further development of this symptom while in a state of slumber the limbs and knees were drawn involuntarily upward and the back was bent, and he felt that if he had longer postponed waking he would have fainted.

Vertigo; in forenoon, with nausea, obscuration of vision, ringing in ears, trembling, general sweat, which stood in drops on forehead, the attack preceded by nosebleed; in evening after sleeping while sitting, with trembling and faintness on rising from the seat, which continued after lying down; on slightest motion; on slightest motion of head; when walking or sitting; in bed after waking; on stooping, on turning in bed and on gargling; -with staggering; so that he was obliged to hold on to something; when stooping, as if head reeled to and fro. Sickening, on looking out of the window, with falling down unconscious, on recovering consciousness it seemed as if he could scarcely rouse himself from a deep sleep, after waking nausea, which obliged him to lie down and returned on rising, afterwards he was lachrymose and despondent.

Forehead.—Stitches above r. eye; above r. external canthus. *Tearing in spot near temples.* Boring. *Aching, especially over eyes,* in afternoon, with soreness of eyes on motion; A. over eyes, extending into them; in a spot formerly wounded, in r. side; pulsating, after eating, with pressure in occiput, heat in head and eructations; oppressive, above eyes, with nausea; intermittent. Drawing through head above r. eye. Tearing-drawing in upper anterior part of head.

Temples.—Tearing, extending to back teeth; T. over l. Boring beneath l. Pressure outward in l. *Pain in both* and on vertex; in l.; in l., afterwards extended over top and sides of head and was almost unbearable. Throbbing after long, deep sleep in afternoon, with fulness of brain. Tension and pressure in T. and forehead, with inability to hold the lids open.

Vertex.—Stitches; from reading; extending to tem-

ples. Paroxysmal tearing, and in temples. 'Pain in morning in bed, with painfulness of hair to touch; P. every afternoon; then drawing about whole head, though more pain on l. side; with soreness of hair to touch; as if something were lying on it, or as if integuments of head were too tight, extending to forehead.

Parietals.—Tearing in l. half of head; with drawing in l. arm. Deep-seated, intermittent tearing stitches in one side of brain, as if a nail were driven into it. Pinching above and behind l. ear, with cutting. (Pain in r. side when shaking head); in whole r. side of head and face, with chill, coldness and trembling of body and jaws; biting, in r. half, on which he lay, and in occiput, like the sensation in the nose from a suppressed sneeze, in morning on waking, > raising head and disappearing on rising.

Occiput.—Crackling while sitting. Burning-sticking in spot on. Tearing in r. side; T. in a spot, extending through the head. Pinching. Aching; at night, with boring in forehead, sweat, pale face, cold, trembling hands and nausea; < after supper; *in and on lower part;* in upper part of r. side, with pressure in eyes. Headache first in neck, then in forehead, then lachrymation, with closure of lids. Intermittent aching; throbbing A., as if suppurating, from morning till evening; short drawing, in r. *Drawing in l. side, with tearing;* D. affecting whole head. Confusion like a tension from within; C. as after intoxication. Vertigo as after intoxication, spreading forward, < evening, and involving whole head, < walking.

Tearing in skull. *Hair falls out.* Ulcer on fontanelle exuded a corrosive moisture. Tearing in an old scar on vertex. *Headache as from contraction of scalp;* < after supper. Crawling as if the hair moved.

Clinical.—Falling of hair, especially after pregnancy (Sepia).

Eyes.—Swelling of l. Inflammation of r. Stitches. Tearing pressure on l. Pain as if it would be torn out, with headache. Aching in l.; A. in evening after lying down; with confusion of head; as from sand in r., with sore feeling in canthi; as from sand; with sore pain, especially in canthi; with biting in r. eye. *A heavy weight seemed to lie upon E., so that he must make a great exertion when reading and writing to distinguish letters.* Burning. Itching in r.; with great dryness of lid; of l., with biting in it after rubbing, especially in internal canthus; with smarting and burning; biting, especially in r. external canthus. Lachrymation, with biting in r. eye. Pressure downward in r. ball.

Lids.—Twitching; of l. Trembling of upper. Inability to open at night, even when unable to sleep. Agglutination in morning; l. seemed agglutinated, but were not. Pressure in upper, on motion in open air, and in upper half of balls; biting, in r. external canthus. Drawing in r. *Itching on margins;* in l. internal canthus. Biting, with redness of margins; B. in l. canthus.

Muscles painful when looking up. Shortsighted; after exerting eyes. Vision of black floating spots (Lye.). Flickering in morning on rising. Vision of rings surrounding a brighter field.

Clinical.—Asthenopia from overwork, floating black spots.

Ears.—*Discharge of thick flesh-colored, offensive moisture from r.* A thick brown substance comes out of r. Stitches extending inward in l. meatus. Tearing in r.; in fossa behind r. Tearing jerks in r. external meatus,

or stitches. Twinges in l.; in r. in evening; coming out of both. Pinching in l. Tearing-burning pain in lobule of l. *Something heavy seems to lie in front of them; and they seemed stopped*, but without diminution of hearing.

Pulsations. Itching, with inclination to relieve it by swallowing; crawling, after boring in with finger. Sensitiveness to loud talking. *Roaring. Ringing*; in l. in afternoon; in l., with whirling vertigo; with humming and pressure. Humming before E. Chirping as of crickets. Crackling as of straw, on every motion of jaws during breakfast. Illusions of hearing, he thought he heard some one step up to his bed, and he woke with anxiety.

Clinical.—Offensive otorrhoea. Usually in mal-secretion of cerumen, with exfoliation of epidermoid cells. Deafness after exanthematous diseases.

Nose.—Trembling in skin and muscles of r. side of root. Tearing in l. half, extending to l. half of head. *Drawing in root*. Pressing in root and bones, as in severe coryza. Sensation in root as of commencing coryza. Heaviness. Crawling internally; in l. side in evening. Itching internally, with increased moisture.

Sneezing; with stitches in abdomen; with burning over a large part of r. side of abdomen; with lachrymation of l. eye, then biting in inner canthus; then biting pain when blowing nose; continual, at night. *Frequent sneezing*; at night in bed, *with crawling and tickling in nose* and catarrhal roughness in it and in upper part of chest; without coryza. Violent sneezing, then biting -pain above and in nose, with lachrymation, outbreak of violent coryza, also same pain on blowing nose. *Ineffectual attempts to sneeze; with crawling in l. nostril*, which became moist, and after blowing nose the r. nostril was stopped, with catarrhal crawling and biting in l. side of palate.

Stoppage of l. nostril; after sneezing. Catarrhal irritation on waking nights and mornings, > during the day, except occasional sneezing. *Coryza*; with hoarseness and rawness in chest; so that he could scarcely speak aloud; *dry*; dry, with scraping in throat; fluent; fluent, every evening; fluent, with sneezing. Increased moisture preceded by stoppage. Watery discharge. Discharge of mucus, with crawling in l. nostril, then sneezing, lachrymation of r. eye and coryza; D. of green mucus. **Bleeding several times daily, preceded and accompanied by pallor x of face** (Phos., Sec. c.); B. morning in bed, then pain in chest; every forenoon; *at night*, with orgasm of blood; that could scarcely be stopped.

Clinical.—Recurring nosebleed in persona who have been overtaxed with anxiety, especially in elderly people. Varicose veins on nose.

Face.—Pale (Sec. c., Sep.). *Grayish-yellow*. Swollen cheeks; about chin. Tearing stitches in r. cheek. Tearing; *in l. cheek*; drawing, in bones; *jerklke*, in l. zygoma, *in front of ear, evening in bed*. Intermittent boring-burning pain in l. cheek. Twitching pain in several parts. Twitching-drawing pain in cheeks and in jaw. Drawing pain in cheeks.

Lips.—*Swelling; of upper, and of cheek, with jerking pain*; dry and cracked. Ulceration of r. corner. Burning pustules below red portion of upper. Painful eruption on upper, the red portion is full of pin-plea. Itching tetter in l. corner. *Twitching in upper*.

Tearing in l. corner, extending to cheeks. Drawing from r. corner to chin.

Jaws.—Tearing-jerking in l. lower. *Jerklke tearing in upper r. side*. *Soreness of bones*. *Drawing pain* on both sides, with drawing and confusion in head. Cramplike pain in lower.

Mouth.—Teeth. *Bleeding when cleaned*; and of gums, when sucking them with the tongue. Sticking, then in abdomen; tickling, in first upper l. back, with drawing. *Drawing tearing in all molars*. Drawing and tearing pain, with chronic looseness and with soreness of gums. Pinching in r. lower back. Drawing-jerking in a hollow back tooth. Sudden throbbing while eating. Aching at root; in anterior incisors; in l. upper back; with dry lips; as from acids, especially in gum, as often as she ate anything salt. Gnawing and drawing pain in a hollow tooth, with swelling of gum. Drawing pain; in upper incisor; in hollow T., in hollow molars; intermittent; in r. molars, with jerking; biting, in incisors, more in gum. Sore pain in first l. upper back, with drawing. T. seem to protrude, with ulcerative pain when touched by the tongue and when eating.

Gums.—Swollen about a hollow tooth. *Pustule. Bleeding (Lye.) ; after sucking. , When sucking the gum pure blood flows into mouth, at the same hour several forenoons. Retracted from lower incisors (Sep.) ; from incisors. Lessened from teeth, and sensitive*. Sensitive when chewing (Sep.). *Sore pain during the day*. Drawing pain. Heat.

Tongue.—*Coated white. Yellowish-brown mucous coat*. Fissure, with vesicles around edges, that smart as if burned. Stitches. Tearing in r. side. Cramplike pain on l. side of root. *Sensitiveness, with rawness*. Soreness; of r. side, with sticking. Heat of tip, with dryness. Heaviness and stiffness, so that speech was difficult.


Blister in upper part of palate. Mouth filled with mucus by eructations always only a few hours after dinner. Bitter mucus in morning. *Aching on posterior part of palate. Heat, with rawness and dryness of tip of tongue ; H., especially in upper lip*. Sensation in M. and tongue as after drinking wine freely in the evening. Dryness in morning; in morning oil waking; without thirst. *Salivation*. Breath offensive. Breath cold, with coldness in throat, mouth and teeth.

Taste bitter ; before and after eating ; B., with eructations ; B. on palate, with dryness of tongue. Salt. Sour after eating. Plat, watery, offensive.

Clinical.—Spongy condition of gums, which retract and bleed easily, with tendency to nosebleed, fainting fits. Teeth decay rapidly, gums retracted. Tongue dry and black in late stage of typhoid fever. Tongue cold in the collapse of cholera, yellow, fissured, with cold breath. Offensive odor from mouth in persons who are debilitated, or during fevers.

Throat.—Swelling of parotid gland as far as angle of jaw. Inflammation, with stitches and sensation as if something were sticking in it; l. of uvula, with swelling and with sticking in throat. *Much hawking of mucus*. Much tenacious mucus, which he must raise; M. of unpleasant taste and odor; much M constantly passes from posterior nares.

Tearing in muscles; in back part and in l. side o root of tongue. Aching; in r. muscles; when coughing; just behind palate; extending into stomach, with fulness, almost like heartburn. *Sore pain on swallowing*,



Timothy Field Allen

[Handbook of Materia Medica & Homoeopathic Therapeutics](#)

1176 Seiten, hb
erschienen 2008



Mehr Homöopathie Bücher auf www.narayana-verlag.de