


James Tyler Kent

Lectures on Homoeopathic Materia Medica

Leseprobe

[Lectures on Homoeopathic Materia Medica](#)

von [James Tyler Kent](#)



<http://www.narayana-verlag.de/b38>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH

Blumenplatz 2

D-79400 Kandern

Tel. +49 7626 9749 700

Fax +49 7626 9749 709

Email info@narayana-verlag.de

<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen und englischen Homöopathie Bücher vorgestellt.



CALCAREA IODATA

The symptoms appear or are worse in the morning; afternoon; *evening*; NIGHT; *after midnight*. It has produced abscesses. Strong desire for open air; open air excites and also ameliorates symptoms. The tendency is towards ansmia. There is general physical anxiety; asleep feeling in single parts; choreic movements. Becoming cold ameliorates many symptoms, but there is a tendency to take cold; cold weather aggravates. It is a most useful remedy in tuberculosis. It has cured convulsions; clonic; epileptiform; with falling. Convulsive movements. Many symptoms come on before eating and are better after eating; some symptoms are worse before and after eating. There is marked loss of flesh. Exertion is impossible. There are fainting spells, fainting in a warm room. Fasting brings on many symptoms. Feeling of fulness internally. Internal hemorrhage. It is a most useful remedy in induration, especially following inflammation. Great lassitude; lying ameliorates, but lying long in bed aggravates, as the patient is worse from the warm bed. There is surging of blood in the body; pains are numerous but mild and flitting. burning, cutting, jerking, pinching, pressing, stitching, tearing; there is more weakness than pain. He perspires easily and; becomes chilled during sweat. Pulsation all over. Many of the symptoms are right-sided. Swelling of affected parts and glands; swelling that suppurates. *Trembling and twitching*. The symptoms as well as the patient are worse from warmth, warm air, warm bed, warm room, 'warm wraps.GREAT GENERAL WEAKNESS; in the morning; during menses.

He becomes very angry over small matters. Frequent spells of anxiety; anxious over trifles. Aversion to company; confusion of mind; delusions; sees dead people. Despair; discontented; discouraged. Dullness of mind. Worse from mental exertion. Fear of insanity; of misfortune; of people. Impatience; indifference; indolence; irresolution. Irritability; during headache. Symptoms like insanity and mania. Mirthful. Mental prostration. Restless and anxious. EXTREME SADNESS. Dullness of the senses; starting in sleep; *weeping*. Vertigo in the morning on rising; while walking; with headache.

The head feels cold. There are congestion, heat and heaviness of the head; especially during menses. Crusty eruptions on the scalp. The hair falls out. It has cured Hydrocephalus. Itching of the scalp. Pain in the head; in the morning, binding up the hair makes the pain worse; with coryza and catarrh; compelled to lie down; before the menses; moving the head; noise; riding against a cold wind; stooping; talking; walking; warm room; wrapping up the head. Pain in the forehead above the eyes; in the *occiput*; pain in occiput before menses; sides of head but mostly in the right; temples, vertex. Pressing

pain in forehead, occiput, sides of head, temples and *vertex*. Sharp pain in right temple. Shooting in head; in the occiput. Sore; bruised pain in head. Stitching pains in head, in the occiput, in sides of head, in temples, in vertex; stunning pains in the head; tearing pains in the head; in the temples. Perspiration on the scalp; on the forehead. Pulsation in the head; forehead; temples.

Dullness of the eyes; inflammation of the conjunctiva; scrofulous inflammation of the eyes. Lachrymation. Pain in the eyes; burning in the eyes. The ball of the eye is tender to touch. Protrusion of the eyes, exophthalmus. *Pupils dilated*. Redness of the eyes; of the lids; sunken eyes; swollen lids; twitching lids. Weak eyes. Vision foggy, dim. Colors before the eyes; sparks.

Catarrh of the eustachian tubes; discharge from the ears. The ears are hot. Noises in the ears; buzzing, humming, ringing, roaring. Pain in the ear; pressing, tearing. Hearing acute; later impaired.

Catarrh of the nose, also of the posterior nares; redness of the nose. Coryza FLUENT and dry. Discharges from the nose excoriating; fetid; greenish; purulent; thick; watery; yellow. Dryness in the nose. Epistaxis. The nose is obstructed and smell is lost; much *sneezing*. The nose is swollen.

The face is cold and sunken and the muscles twitch. The face is discolored, earthy *pale*, red, *yellow*. Scaly eruptions on the face. Pain in the face. Swollen submaxillary gland.

Aphtha; in the mouth; the gums bleed easily; the tongue is fissured; dryness of the tongue. Offensive odor from the mouth. Pain in the gums; teeth, and tongue burns. Salivation. Swollen gums and tongue. Taste astringent, bad, sour, sweetish. Ulceration in the mouth.

Dryness and constriction of the throat; enlarged tonsils, honeycombed with small crypts; viscid mucus in the throat. Pain in the throat on swallowing; pressing pain. External throat swollen; many hard glands. It has cured GOITRE, even exophthalmic goitre.

Appetite INCREASED ravenous or *wanting*; aversion to food, Desires stimulants. Eructations empty; sour; waterbrash; heartburn. Fulness in the stomach; flesh of heat in the stomach. Hiccough. Nausea at night and after eating. Pain in the stomach after eating; burning, cramping, cutting, *pressing*, SORE, stitching. *Pulsating* in the stomach. Thirst extreme, unquenchable. Vomiting on coughing, after eating, bile, blood, food.

Distension of the abdomen, tympanitic, Enlarged abdomen, mesenteric glands, spleen. Flatulence; obstructed. Hardness of the liver, mesenteric glands. Pain in abdomen; during menses, in hypochondria, in liver; burning, cramping, *cutting*, pressing in the hypogastrium. Pulsation in abdomen. Rumbling.

Constipation; inactivity of the rectum; difficult stool; hard stool. Diarrhoea; evening, after eating. Exhausting; stool bloody, copious, watery, white, yellow; passing of copious flatus. Hemorrhoid. *Itching* of the anus; burning after stool; tenesmus after stool; ineffectual urging to stool.

Retention or suppression of urine; much urging at night; frequent urination during the night; involuntary urination. Frequent paroxysms if busy; stinging pain in neck of bladder with frequent urging to urinate. It has been useful in Addison's disease. The urine is acrid, albuminous, cloudy, dark, pale, red, copious, with offensive odor and cuticle on the surface.

Erections wanting; seminal emissions; sexual passion increased without erections. Pain in the testes; induration of testes; swollen testes.

Sexual desire increased in the woman; congestion of the uterus. *Leucorrhoea* acrid, bloody, copious, yellow. Menses absent, *copious*, frequent, irregular, painful, suppressed. Metrorrhagia. Pain in ovaries and uterus. Sterility. Tumors on ovaries. Pain in both ovaries before menses.

Catarrh of the larynx and trachea; constriction, croup. Inflammation of the larynx; mucus in the air passages; pain in the larynx; phthisis of larynx; tickling in the larynx, HOARSENESS.

Accelerated respiration, asthmatic, difficult at night and on ascending steps; rattling, short. Suffocation.

Cough morning; evening, after midnight, asthmatic, DRY; from irritation in the larynx and trachea, short, *spasmodic*; from tickling in the larynx. Expectoration: morning; bloody, greenish, mucus, offensive, purulent, viscid, yellow. Violent, hard cough after pneumonia.

Anxiety in chest and heart; catarrh of the bronchial tubes; constriction of the heart. Induration of the mamma;. Inflammation of the bronchial tubes, of the pleura; oppression of the chest; pain in the chest on coughing; in the heart; burning, cutting, pressing, rawness; stitching on coughing; stitching in mammae. Palpitation of the heart warm during the night. PHTHISIS. *Trembling in the heart*. It has cured nodular tumors in mammae, tender to touch, painful on moving the arm.

Pain in the sacrum; soreness in the spine; stitching pain in back and lumbar region.

Enlarged points of the fingers; coldness of the upper limbs, hands, legs, feet; cramps in the feet; heat of the hands; heaviness of the limbs; of the feet; itching of the limbs; numbness of the hands, fingers, lower limbs, legs; pain in the limbs, in the joints; in gouty joints; in the thighs, in the knees. Stitching pain in the shoulders, in the knees. Tearing in the joints, in the upper limbs, in the elbow, in the knees, perspiration of the hands, of the palms, of the FEET; stiffness in the limbs; swelling of the hands, legs, knees, feet; cedematous; trembling of upper limbs, of the hands, lower limbs;

twitching of the upper limbs, thighs, legs; weakness of the upper limbs, of the knees.

Dreams amorous, anxious, of dead people; nightmare vivid. Restless sleep; sleepiness in the evening; sleeplessness, waking too early.

Chill, external, internal; *shaking chill*; tertian; warmth does not ameliorate.

Fever in the afternoon; fever alternating with *chills*; *flushes of heat*; hectic fever.

Perspiration in the morning; during the night; in bed; cold; on SLIGHT EXERTION; on motion; profuse.

Burning of the skin; coldness. Red and yellow spots. Dry skin; eruptions, boils, herpes, rash, scaly. Erysipelas.

CALCAREA PHOSPHORICA

During the growing period many children need this remedy. If the head bones are slow in forming, or do not keep pace with the growth of the child, this remedy is often called for. Where the child is losing flesh, slow learning to do things, slow learning to walk, or the legs are not strong enough to support the body, or it is behind in mental development, this remedy is one to be examined (like *Baryta carb.*, *Borax*, *Ph. ac.*, *Nat. m.*, *Calc.*). Flabby, shrunken, emaciated children. Non-union of fractured bones, swollen condyles, are symptoms accepted by all text-books as strong symptoms of this remedy. It has cured polypi of nose, rectum and uterus. It has cured enlarged glands of the neck, groin and abdomen. Rachitis, with fontanelles open, and diarrhoea, in emaciating children. Rheumatic pains in the joints and limbs, worse from cold weather, or in every cold change of weather. Pale waxy skin; anasmia. Growing pains nights in fast growing children. Phthisical subjects. Diseases of bone. Easy ulceration. Itching, burning eruptions. *Sensitive to cold*. Sensitive to ajar.

The pains are shooting, drawing, aching, burning, pressing. It has a shaking chill that spreads downward. Dry heat in evening. Copious night sweats.

The complaints of this remedy are generally better during rest, come on during motion, and are greatly aggravated by exertion. Stiffness on moving in bed. General bodily weakness. Numbness of many parts. Trembling. Fear brings on complaints; palpitation.

Electric shock, so severe that the patient could not remain standing. Epileptic spasms. Convulsions of children; but the remedy must be given when not in the convulsion to secure the best effect. The mind shows above all a tired and weak brain. Feeble memory, and inability to sustain mental

effort. Suffering in the head from mental exertion. Dreads mental exertion. Sluggish mind. Imbecility. Feeble minded children. The child grasps the head with the hands and screams. Thinking of complaints causes them to appear or increase. Extremely fretful. Ailments from bad news, grief, unrequited affections, vexation. She seeks solitude to commune with her thoughts and to shun the exertion of society. Discontented with his own surroundings and

! goes from place to place.

Vertigo in cold wind, from mental and physical exertion, when rising from sitting, when walking in cold air.

The head symptoms are still more striking. The dull headaches of school children—*always come home from school with headache. The head is sensitive to ajar, to pressure, to the hat; wants it washed in cold water; wants to be quiet and alone. Throbbing and burning in the head. Rheumatic headache, seems to be in the whole head, in cold weather, being out in the cold wind; worse from walking, worse from exertion, worse at night. It has many times prevented hydrocephalus. Frontal headaches, and forehead and eyes worse from pressure of the hat. Perspiration of scalp; forehead cold to touch. Tearing pain in bones of head. Cold occiput. Eczema of scalp. Ulcers of scalp.*

In children when coming out of brain congestion if there is strabismus, diarrhoea, and losing flesh. Glittering fiery circles before the eyes. Pain in eyes from reading in artificial light. Eyes blurred. Soreness in eyeballs. Pains worse thinking about them. Ulceration of cornea. Eyes feel hot. Easy lachrymation. Rheumatic tearing in the ears when the weather changes to cold. Ears very cold. Aching deep in ear. Enlarged, painful parotid glands. Eruption about the ears. Noises in ears after stool. Dry catarrh of the middle ear.

This remedy is useful in chronic catarrh of the nose when the general symptoms agree. Polypi in the nose. Icy cold nose. Fluent coryza in a cold room, stopped in a warm room. Epistaxis.

Pale, waxy face, dirty skin. Rheumatic faceache in every cold spell of weather. Cold perspiration on face. Neuralgia of face at night, in cold air; worse from exertion, ameliorated by heat; sensitive to pressure (*Mag. p.* is better by heat and pressure). Dark blotches and pustules on the face. Swollen upper lip, painful, hard and burning. Teeth late coming in or decay soon. Teeth sensitive to touch, pressure, or

| when masticating. Complaints of teething children. Foul taste in mouth. Bitter ! taste in the morning. Tongue coated in the morning. Tongue swollen, numb , and stiff.

Growing children suffer from chronic throat troubles. Enlarged tonsils. I Every cold settles in the tonsils (*Baryta c., Alumina*). Much mucus in throat. Dryness in throat at night.

Craves salt bacon and smoked meats. Strong appetite. Infants want to nurse all the time. Easily disordered stomach. Cold drinks, ice cream, fruits disorder the stomach, causing pain or diarrhoea. Pain in stomach after food. Eructations and nausea. Soreness in the stomach. Sour eructations, nausea and vomiting. Burning in the stomach. Nausea from scraping the larynx or throat. Vomiting in infants, in children, and in pregnancy. Violent pain in the stomach; diarrhoea aggravated by the least food. Gnawing, empty feeling in the stomach.

After becoming chilled, pain in the liver, soreness, aggravated after eating and by motion; wants to keep quiet. Stitching pains in the liver from breathing or sudden motion. Pulsating in the liver. Cutting pains in the spleen. Sinking sensation in abdomen. Burning in the abdomen, rising up into the chest. Pain in the abdomen ameliorated by passing flatus Colic, followed by diarrhoea. Ulceration of navel in infants. Motion in abdomen from flatus as from something alive. Abdomen large and flabby.

Tabes mesenterica with diarrhoea.

Green mucus and hot watery stools; white, mushy stools, copious, offensive flatus. Diarrhoea from fruit, ice cream, cold drinks or vexation. Diarrhoea in the morning in phthisical patients. Very offensive stools.

Constipation, with difficult, hard stool. Bleeding from the rectum and anus during stool. Protruding piles so painful that he is kept in bed for weeks; the pain is intense standing, walking, from touch; ameliorated by heat; with general sufferings, every sudden cold change of the weather. Piles itch and burn and discharge yellow pus. Itching of the anus in the evening. Stitching pain in the anus, with or without hemorrhoids. Boils and abscesses about and near the anus, discharging blood and pus. Fistula in tuberculous subjects. Fissured anus, with burning stitching pains.

Weak and irritable bladder. Catarrh of the bladder. Frequent urging to urinate. Copious flow of urine. Pain in the neck of the bladder. Cutting in urethra. Stitching in prostate gland. Pain in neck of the bladder before and after urinating. Aching in the empty bladder. This remedy has cured diabetes mellitus. Violent pain in the region of the kidneys.

Sexual desire increased. Painful erections. It has cured many cases of chronic gonorrhoea when the discharge is gleet and there are sharp pains in the urethra and prostate gland. Gonorrhoeal rheumatism when of long standing and worse in every cold change in the weather (*Med.*).

The woman has no better friend than Calc. p. Her sufferings at puberty when she is slow in maturing are often met by this medicine. From taking cold at first menstrual period often comes a painful menstruation that lasts during menstrual life, unless cured by this remedy. Violent cramping in uterus and groin several hours before the flow starts, relieved after the flow has been

fully established. The pains make her cry out. Intense sexual excitement (like *Platina*, *Gratiola*, *Origamum*). Weak, sinking sensation in the pelvis. Prolapsus of uterus during stool and micturition, Uterine polypus. Labor-like pains at the beginning of menstruation. Copious menstrual flow, with very dark clots and membranes. Leucorrhoea like white of egg day and night. Throbbing, titillating in external genitalia. Burning in the vagina and uterus during menses. Child refuses mother's milk. It may be given to a woman who has brought forth one or two children that may be considered Calc. p. babies. The next child will be stronger and have a better constitution.

It is often observed that this patient scrapes mucus from the larynx before he can talk or sing. Hoarseness, dry, hacking cough day and night. Tubercular laryngitis.

Suffocation on slight exertion, or on ascending stairs. In thin, pale, sickly people with dry, hacking cough worse in cold, damp weather in rheumatic constitutions. Yellow expectoration.


Stitching pains in the chest. Emaciation of the chest. Difficult expectoration. It is a very useful remedy in phthisis and bloodspitting. Much sweat on the chest. Rattling in the chest with difficult expectoration, like *Caustr.* Soreness of the chest to touch. Palpitation, with trembling of the limbs.

The back pains are worse in cold, stormy weather, attended with stiffness, and worse in the morning. The back is sensitive to draft. Pain in the back from lifting or straining. Curvature of spine. Tearing, shooting; tenderness and aching in the spine. Soreness in sacroiliac symphysis. Pain in lumbar region and sacrum at the menstrual period.

Rheumatic pains in the limbs in cold weather, worse from motion, better during rest and from heat. Trembling in all the limbs. Stiffness after resting, and in the morning. Aching in the bones, like growing pains. Gouty fingers and toes that become painful in cold weather. Ulcerative pains in the roots of the nails.

The most severe tearing, shooting pains are in the lower limbs. The probable reason for this is that the lower limbs are always cold to the knees, and the cold parts are always the suffering parts in this remedy. Sharp pains in tendons of the lower limbs. Intense aching boring pains in the knees, and long bones. Pains in the tibia with soreness. Drawing pain in the tibia. Cramp in the calves. Ulcers on the legs; weak, chronic; no granulation. Rheumatism of the ankles. Caries of the os calcis. Stinging and shooting in the toes.

Sleepy daytime and evening. Sleepless after going to bed until midnight or later. Very sleepy in the morning. Vivid dreams. Children cry out in sleep. Frightful dreams cause him to awaken with a start.



James Tyler Kent

[Lectures on Homoeopathic Materia Medica](#)

Together with Kent's "New Remedies" incorporated and arranged in one alphabetical order

1032 Seiten, geb.
erschienen 2011



Mehr Homöopathie Bücher auf www.narayana-verlag.de