


James Tyler Kent Lesser Writings, Clinical Cases, New Remedies, Aphorisms and Precepts

Leseprobe

[Lesser Writings, Clinical Cases, New Remedies, Aphorisms and Precepts](#)

von [James Tyler Kent](#)



<http://www.narayana-verlag.de/b21>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH
Blumenplatz 2
D-79400 Kandern
Tel. +49 7626 9749 700
Fax +49 7626 9749 709
Email info@narayana-verlag.de
<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen
und englischen Homöopathie Bücher vorgestellt.



limbs while lying and on waking; lower limbs. Pain in joints; in shoulder, upper arm, elbow, forearm, *hip*; bruised pain in all the limbs; drawing in all the limbs, but especially in knees and feet; stitching in shoulder, wrist, feet, and toes; tearing in the limbs, joints, upper limbs, upper arm, *fingers*, FINGER JOINTS, thighs, toes. Painless paralysis of limbs. Staggering gait. Stiffness of knees. Dropsical swelling of legs and *feet*. Tension of thighs; weakness of limbs; of joints, upper limbs, lower limbs, knees.

Comatose sleep. Dreams: amorous, anxious, of assassins, of dead people, of death, *distressing*, *frightful*, of thieves; pleasant, VIVID. Sleep is very restless; sleepiness afternoon; after dinner. Sleepless before midnight; after midnight. Waking easily.

Coldness in evening in bed; chilliness; shaking chill. Fever of a mild nondescript type. Perspiration in the morning ; during the night; profuse.

Burning of the skin, cold skin. Eruptions; blisters; boils; burning; eczema; *herpes*; pustules; scabby; urticaria; vesicles. Erysipelas; excrescences. Formication. Itching, itching burning, itching creeping, itching stinging. Sensitive skin. Sore feeling in the skin. *Ulcers*: burning, *cancerous*, *deep*, offensive, discharging yellow pus; fistulous, sensitive, suppurating, *syphilitic*. It has cured *syphilitic warts*.

BARIUM IODATUM

Complaints come on in the morning; afternoon; evening; night; after midnight; strong desire for open air; better in open air; better in cold air. Takes cold easily; worse in cold, wet weather. Congestion of many parts. Convulsive action of muscles. Feels worse before eating and when fasting; worse after eating; some symptoms are better after eating. Emaciation. Exertion aggravates most symptoms. Fainting spells. Formication all over

body. General sensation of fullness. Easy hemorrhage. Induration in many parts; in glands. Inflammation or congestion in internal organs; in glands. Lassitude; continued lying rests him. Lying on the back aggravates. Lying in bed increases some symptoms. Worse before and during menses. Motion increases the symptoms. Pain in bones and glands. Pressing, sore, stitching pains. Tearing in many parts; downward; in muscles. It suits the complaints of plethoric people. Pressure aggravates many symptoms. Pulsation all over body. Pulse fast; full; hard; small. Very sensitive to pain; glands sensitive. Swelling and inflammation of affected parts and of glands. Tension all over body. Touch aggravates. Trembling and twitching. Walking aggravates all symptoms. Worse from warmth in general; in a warm room; on becoming warm. Weakness; during menses, nervous; while walking.

Anger, anxiety and aversion to company. Concentration of mind difficult. Confusion of mind. Timidity even cowardly. Delusion; thinks he sees dead people. Illusions of fancy. Marked dullness of mind. Fear of evil and of people. Memory weak; very forgetful. She feels hurried and hysterical. Impatience. Irresolution; indolence; indifference. Talkative and irritable. Mental weakness marked. Alternation of moods. Marked restlessness. Sadness and weeping. Over-sensitive to noise. Desire to sit and brood over events. Vertigo while lying, stooping; walking.

The head feels cold. Heat and hypersemia of head evening and night. Heaviness of head. Pain in head; morning on rising; forenoon; afternoon; better or worse in open air; worse binding up the hair; from noise; while walking; warm room. Pain in forehead; right side; evening; above eyes; occiput, side of head; temples. Bruised pain in head. Pressing pain in head; in forehead; over eyes; in occiput; temples; vertex. Shooting in occiput; stitching in head; occiput; sides of head; temples. Stun-

ning pains. Tearing in vertex. Perspiration of scalp. Pulsation in forehead and temples.

Inflammation of conjunctiva. Tubercular iritis. Itching of eyes. Opacity of the cornea. Pain in eyes worse from light; aching; burning; pressing; as from sand; tender feeling. Photophobia; protrusion; pupils dilated. Redness of eyes and lids. Swollen lids. Vision dim; diplopia; flickering; foggy; sparks; weak.

Discharge of pus from ear. Sensation of flapping in ears. Noises in ears; when chewing; buzzing; fluttering; ringing; roaring. Tearing pain in ears. Stopped feeling in ears. Hearing acute for noise; impaired.

Catarrh of nose; discharge bloody; copious; hard mucus; thick; yellow; post nasal. Redness of nose. Dryness in nose. Fluent coryza with cough. Epistaxis on blowing nose. Obstruction of nose at night. Pain in nose; in root of nose. Frequent sneezing. The nose is swollen and red.

Coldness of face. The face is congested and red; the lips are blue; face sometimes pale and sometimes circumambient redness. Face looks drawn and shrunken. Emaciated. Eruption on face and nose; boils and pimples. Pain in face; in submaxillary gland. Swelling of glands of lower jaw; parotid gland; submaxillary gland.

Bleeding gums, cracked tongue. The gums are detached from the teeth and the teeth become loose. Dry mouth in morning; dry tongue. Mucus in mouth which is offensive, even putrid. Burning tongue; sore gums. Salivation. Swollen gums. Taste bad; bitter; sour. Drawing and tearing in teeth.

Throat dry and constricted. The tonsils are enlarged. Inflammation with marked swelling of tonsils. Membranous exudation in throat. Pain in throat on empty swallowing; burning. Swallowing difficult. Swollen and indurated glands of neck.

Appetite diminished; increased, even ravenous with emaciation; without relish of food; wanting, aversion to

food. Emptiness. Eructations: empty; sour; waterbrash; ameliorate. Fullness and heartburn. Flashes of heat in stomach. Heaviness after eating. Indigestion with hic-cough. Nausea and loathing of food. Inflammation of stomach. Pain in stomach after eating; cramping; gnawing; pressing; soreness; stitching. Retching. Feeling of tension in stomach. Thirst extreme; unquenchable. Vomiting bile; watery.

Distension of abdomen; enlarged mesenteric glands. Flatulence; rumbling. Pain in abdomen; after eating; before and during menses; in hypochondria; inguinal region; umbilical region; cramping; cutting; drawing; pressing in hypogastrium; stitching in hypochondria and sides of abdomen. Distension of abdomen.

Constipation; difficult stool; inactivity of rectum; insufficient stool; hard, knotty stool. Diarrhoea with yellow, watery stools, much flatus, external piles. Itching anus. Pain in rectum; burning after stool; tenesmus. Ineffectual urging to stool.

Retention of urine; constant; frequent. Urination frequent at night; involuntary. Enlarged prostate gland. Urine copious.

Induration of testes. Erections wanting. Seminal emissions. In the female the desire is increased. Leucorrhoea bloody; before menses. Menses copious; frequent; painful; short; suppressed.

Mucus in the trachea. Voice: hoarse; lost; rough, weak. Respiration fast; asthmatic; difficult at night and on ascending; rattling; short; suffocative.

Cough morning; evening; asthmatic; dry in morning; from irritation in larynx or trachea; rattling; spasmodic; suffocative; as talking; from tickling in larynx and trachea. Expectoration in morning and evening; difficult; mucus; purulent; salty; viscid; yellow.

Catarrh of chest. Constriction of chest. Inflammation bronchial tubes; of lungs. Oppression of chest. Pain

in chest; stitching in chest and in mammae. Palpitation of heart; night; tumultuous. Paralysis of lungs. Swollen axillary glands.


Pain in sacrum; stitching pain in back and in lumbar region.

Cold hands, legs and feet. Hot hands. Heaviness of limbs. Itching limbs. Numbness of arms and fingers. Pain in joints; gouty; in hip; thigh; knees. Stitching in knees; tearing in knees and legs. Perspiration of hands: palms; feet. Weariness of knees.

Dreams: amorous, anxious; vivid.

BARIUM SULPHURICUM

The symptoms of this remedy appear in the *morning; forenoon; afternoon; evening; night; after midnight*. Desire for open air which ameliorates; the mental symptoms are better in the open air. There is a marked physical anxiety. Many symptoms show themselves or are worse on *exertion and ascending stairs*. Single parts become numb and prickle. Generally worse from bathing; in a close room; from cold; from cold air; from becoming cold; symptoms are worse after becoming cold; takes cold easily; there is a lack of vital heat; worse in cold, wet weather. Constriction of many parts. Clonic spasms and epileptic convulsions. The blood vessels are distended. Symptoms come on during and after eating; worse after eating to satiety. Emaciation; faintness and the muscles become flabby. Formication and a sensation of fullness. Induration of glands. Heaviness and lassitude. Inflammation of glands. Lack of reaction. Jerking in muscles. Desire to lie down. Symptoms come on before and during menses. Aversion to motion. Most symptoms are worse from motion. The patient feels worse from motion. Orgasm of blood in body. Pain in the bones; in glands; boring; burning; gnawing; jerking; pressing; stitching; tearing. Tearing in glands; tearing downwards. Paraly-



James Tyler Kent

[Lesser Writings, Clinical Cases, New Remedies, Aphorisms and Precepts](#)

696 Seiten, geb.
erschienen 2007



bestellen

Mehr Homöopathie Bücher auf www.narayana-verlag.de