


Edwd. Harris Ruddock The Diseases of Infants and Children and their Homeopathic and General Treatment

Leseprobe

[The Diseases of Infants and Children and their Homeopathic and General Treatment](#)

von [Edwd. Harris Ruddock](#)



<http://www.narayana-verlag.de/b91>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH
Blumenplatz 2
D-79400 Kandern
Tel. +49 7626 9749 700
Fax +49 7626 9749 709

Email info@narayana-verlag.de
<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen
und englischen Homöopathie Bücher vorgestellt.



Part I

INTRODUCTORY

Chapter 1 _____

THE MEDICINES

MEDICINES RECOMMENDED FOR CHILDREN

A Chest containing the necessary homoeopathic medicines for the treatment of infantile diseases should be always kept in readiness in every house in which there are children. The importance of this recommendation will be fully apparent when the peculiarities of the organism of the little patients are considered.

In consequence of the activity of the vital powers, and the quickness and force of the circulation, there is a remarkable susceptibility to inflammatory action in children, so that many of their diseases rapidly run on to organic and incurable mischief.

Active Circulation

The earliest recognition of an approaching illness, and the most prompt application of treatment, are therefore of the greatest importance. Neglect or delay may prove most disastrous to life, while a few doses of an appropriate remedy timely administered will often be alone sufficient to arrest the morbid process, or they will afford temporary relief till the arrival of a physician.

Prompt Administration

In the treatment of infants, perseverance and watchfulness

11. Aralia	ARAL.	3x
12. Argentum Nitricum	ARG.-NIT.	4
13. Arnica Montana	ARN.	3x
14. Arsenicum Album	ARS.	3x
15. Arsenicum Iodidum	ARS.-IOD.	3x
16. Aurum Metallicum	AUR.-MET.	5
17. Baptisia Tinctoria	BAPT.	1x
18. Belladonna	BELL.	3x
19. Bromium	BROM.	1
20. Bryonia Alba	BRY.	3x
21. Calcareo Carbonica	CALC.-G.	5
22. Calcareo Phosphorata	CALC.-P.	3x
23. Cantharis Vesicatoria	GANTH.	3x
24. Carbo Vegetabilis	CARBO. V.	5
25. Chamomilla Matricaria	CHAM.	3
26. China Officinalis	CHIN.	3x
27. Cina Anthelmintica	CIN.	3x
28. Coffea Cruda	COFF.	3x
29. Colocynthis	COLOC.	3x
30. Croton Tiglium	CROT-T.	6
31. Cuprum Metallicum	CUP.-M.	5
32. Curare	CURARE.	3
33. Drosera Rotundifolia	DROS.	3x
34. Dulcamara	DULC.	3x
35. Euphrasia Officinalis	EUPH.	1
36. Ferrum Iodidum	FERR.-I.	3x
37. Gelsemium Sempervirens	GELS.	3x
38. Glonoine	GLON.	3x
39. Graphites	GRAPH.	5
40. Guaiacum	GUAIA.	1
41. Hamamelis Virginica	HAM.	1
42. Helleborus Niger	HELL.	3x
43. Hepar Sulphuris Calcareum	HEP.-S.	3x
44. Hyoscyamus Niger	HYOS.	3x
45. Ignatia Amara	IGN.	3x
46. Iodium	IOD.	3x
47. Ipecacuanha	IPEC.	3x
48. Iris Versicolor	IRIS.	1
49. Kali Hydriodicum	K.-HYD.	3x
50. Kreasotum	KREOS.	3x


Symptoms—When the operation is successful a slight rosy elevation may be seen and felt on the second day, and a small red pimple is formed on the third day, while the temperature rises slightly. On the fifth day a vesicle forms, which reaches its maximum size on the eighth day, being then distended with limpid fluid and distinctly "umbilicated." By the tenth day the fluid is purulent. By the fourteenth day the pustule has become a brownish scab, which about the twenty-first day falls off, leaving a circular, depressed, permanent scar.

The constitutional disturbance is usually not great. From the third to the ninth days a little fever and restlessness may show themselves, and sometimes swelling in the armpit. Medical treatment is seldom necessary. Should there be much inflammatory redness and swelling, a few doses of *Aconite* or *Belladonna* will relieve the patient. The latter remedy is curative of *erysipelatosus* complications. Care should be taken to protect the arms from friction, that the sores may not be irritated, and the scabs not torn off. Occasionally a poultice is necessary if inflammation or suppuration is excessive. About the eighth day, as the disorder declines, a dose of *Sulphur*, morning and night, for a few days, may prevent possible unpleasant sequels.

Re-vaccination—Although it is impossible to tell how long the protective virtue of vaccine lasts, it may be well if Vaccination were repeated at puberty. In like manner adults may secure immunity, if Smallpox become epidemic, by being vaccinated again. Carefully recorded observations and statistics show that well-vaccinated persons are almost wholly secure against infection.

CHICKEN-POX

This is an eruption almost peculiar to infants and young



Edwd. Harris Ruddock

[The Diseases of Infants and Children and their Homeopathic and General Treatment](#)

with Glossary and Therapeutic Index

240 Seiten, kart.
erschienen 2005



bestellen

Mehr Homöopathie Bücher auf www.narayana-verlag.de