


# Ernest Albert Farrington

## Therapeutic Pointers to Some Common Diseases

Leseprobe

[Therapeutic Pointers to Some Common Diseases](#)

von [Ernest Albert Farrington](#)



<http://www.narayana-verlag.de/b134>

Das Kopieren der Leseprobe ist nicht gestattet.

Narayana Verlag GmbH  
Blumenplatz 2  
D-79400 Kandern  
Tel. +49 7626 9749 700  
Fax +49 7626 9749 709

Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)  
<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen und englischen Homöopathie Bücher vorgestellt.



THERAPEUTIC POINTERS  
TO  
SOME COMMON DISEASES

ABSCESSSES AND BOILS

**Arnica.**—Crops of boils all over the body—begin with soreness and go on to suppuration and are followed by another crop. Partially matured boils and abscesses, shrivel up by absorption of contained pus. To be applied also externally.

**Arsenicum.**—Abscesses and boils, with cutting, lancinating burning pains and extreme restlessness; *ogg.* after midnight. Gangrenous.

**Belladonna.**—Sudden violent symptoms. Radiating redness, throbbing and tendency towards suppuration—pus develops with lightning-like rapidity. Boils that occur in the Spring. Is followed by *Hepar* when it fails to reduce the inflammation before suppuration commences.

**Calcarea Sulphurica.**—Suppuration and tumefaction of boils.

**Carbo Vegetabilis.**—When boils become gangrenous, with burning pains like *Ars.*, but without die extreme restlessness of the latter. Hectic fever dependent upon long-lasting suppuration. To be applied also as a plaster.

**Hepar.**—Sharp, throbbing sticking pains and chills. May prevent suppuration and abort the whole trouble, if given in the incipiency, in a high potency; but when suppuration is necessary, to hasten the process, it should be given low. See also *Bell.*

**Kali Hyroiodicum.**—Summer Boils. Very useful when crops of boils appear on the head, chest or back.

**Lachesis.**—When the pus degenerates and becomes of a dark, thin, offensive character, with sensitiveness to touch.

**Mercurius.**—Suited to a more advanced state than *Hepar*. When pus has already been formed and you wish it to be evacuated. Given low and repeatedly, it will cause a quick-breaking of the abscess, relieving all the symptoms.

**Balsam of Peru.**—An admirable remedy when there is loud rales in the chest and the expectoration is thick, creamy and yellowish-white. An excellent remedy, even though night-sweat and hectic fever show the disease is alarmingly progressing. To be used in low potency.

**Bryonia.**—Indicated when there is a sensation of heavy pressure, just under the sternum, with great dyspnoea. The cough is dry and seems to start from the stomach, < after a meal, when it may end in vomiting ; bursting pain in the head with every cough [*Phos.*] ; during the cough, the patient presses his hand against his side, to relieve the stitching pain.

Useful also when Bronchitis is associated with Measles.

**Capsicum.**—Chronic Bronchitis, with very offensive breath (luring the cough, though ordinary expiration is not offensive [*Sang. Can.*].


**Carbo Animalis.**—Indicated in the later stage. The distinguishing symptom is : Suffocative hoarse cough, producing shaking in the brain, as though the brain is loose in the head ; the expectoration is green, purulent and horribly offensive. There is a cold feeling in the chest [*Brom., Camph., Paris Q.*]. As soon as he closes his eyes, he feels as if he were smothering.

**Carbo Vegetabilis.**—Indicated in the later stage, particularly in Bronchitis of old people, when there is a decided burning in the chest and a great deal of rattling. The cough is spasmodic and the expectoration, is profuse—it is yellow and very foetid. Dyspnoea, < on turning over in bed and on dropping off to sleep.

**Dracontium.**—Violent attack with rapid formation, first of a watery, burning discharge, later, yellowish purulent, with great burning, rawness and other symptoms of inflammation. Used in lower potencies.

**Ipecacuanha.**—Suited to Bronchitis associated with Laryngitis.

**Kali Bichromicum.**—Indicated in Bronchitis, particularly if the glands are involved. The cough is of hard, barking character, almost always, < after eating and > when warmly wrapped up in bed, and attended with a great deal of difficult breathing; the expectoration is generally of a stringy or ropy character, sometimes it consists of bluish lumps. There is a great deal of feeling of tightness in epigastrium.



Ernest Albert Farrington

[Therapeutic Pointers to Some  
Common Diseases](#)

152 Seiten, kart.  
erschienen 2004



**bestellen**

Mehr Homöopathie Bücher auf [www.narayana-verlag.de](http://www.narayana-verlag.de)