


James Bachelder Bell

The Homoeopathic Therapeutics of Diarrhoea

Leseprobe

[The Homoeopathic Therapeutics of Diarrhoea](#)

von [James Bachelder Bell](#)



<http://www.narayana-verlag.de/b1294>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH

Blumenplatz 2

D-79400 Kandern

Tel. +49 7626 9749 700

Fax +49 7626 9749 709

Email info@narayana-verlag.de

<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen
und englischen Homöopathie Bücher vorgestellt.



Homoeopathic Therapeutics.

PART I.

The Remedies and their Indications.

1. ACETIC ACID.

Stools: liquid; Frequent; Undigested, Very offensive; Painful (liquid stools); Exhausting.

Aggravation: In the morning: In phthisical subjects: In typhoid: In ascites.

Accompaniments: Intense thirst, and water does not seem to disagree, even when taken in large quantities. Wants *nothing* but fluids. Complains much of the stomach. The abdomen is sometimes swollen very much. Feet and legs often swell. Has restless, sleepless, uncomfortable nights. Great emaciation. Great debility. Pale, waxen skin. Violent thirst in diarrhoea, with swelling of legs and feet, in phthisis. Thirstlessness in diarrhoea in latter stages of typhus and typhoid fever. No thirst in croup.

The most characteristic of **Acetic acid** is the **thirst**.

We are indebted to DR. H. N. GUERNSEY for most of the symptoms.

2. ACONITE.

Stools: *Watery*; Black; *Green like chopped spinach*; Biliious; Corrosive; *Bloody, slimy, mucous*; *Small*; Brown, small, painful; Frequent (dysenteric stool); Involuntary (when passing flatus).

Aggravation: In summer, with hot days and cold nights: *After getting wet*: After being overheated: After exposure to cold, dry wind, or a draught: After anger or fright: After suppressed perspiration: At night: After eating fruit: In infants.

Amelioration: After eating warm soup—(pains).

Before Stool: Cutting pains: Nausea and sweat: Anguish.

During Stool: Cutting pains: Tenesmus: Sweat: Much flatus (with watery stools).

After Stool: Relief, except from anguish, nausea and sweat, which may continue.

Accompaniments: *Anxiety*; *Fear of death*. Restlessness. *Vertigo or fainting on rising up*, with paleness; face flushed when lying. Bitter taste of everything except water. Lips dry, dark. Unquenchable thirst. Nausea. Vomiting: of blood; of blood and mucus; of bile; of what has been drunk with profuse sweat. Sensation of a cold stone in the stomach. Distended abdomen

PART II.

REPERTORY.

PATHOLOGICAL NAMES.


CHOLERA: Acon. Ars. Camph. Carbo v. Cicuta, Colch. Cupr. Jatr. Phos. Phos. ac. Podo. Sec. Sulph. Tabac. Thuja, Verat.

—, asphyctica s. sicca; Camph. Carbo v. Laur. Tabac.

—, infantum: Acon. Aeth. Ant. c. Ant. t. Ars. Bell. Bis. Calc. c. Camph. Carbo v. Colch. Coloc. Colost. Crot. tig. Elat. Grat. Ipec. Iris v. Jatr. Kali bich. Kali brom. Kreos. Laur. Phos. Podo. Raph Sarsap. Sec. Sil. Sulph. Tabac. Thuja, Verat.

—, morbus: Aeon. Ant. c. Ant. t. Ars. Camph. Colch. Coloc. Crot. tig. Elat. Grat. Ipec. Iris v. Jatr. Kali bich. Phos. Phos. ac. Podo. Raph. Sec. Tabac. Thuja, Verat.

DIARRHCEA: Aeon. AEscul. Aeth. Agar. Aloe, Alum. Amm. m. Ant. c. Ant. t. Apis, Arn. Ars. Asaf. Asar. E. Asclep. Bapt. Bar. c. Benz. ac. Bol. Bor. Brom. Bry. Calc. c. Calc. ph. Canth. Caust. Cham. Chel. China,



James Bachelder Bell

[The Homoeopathic Therapeutics of Diarrhoea](#)

Dysentery, Cholera, Cholera Morbus, Cholera Infantum and all Other Loose Evacuations of the Bowels

320 Seiten, paperback
erschienen 2007



bestellen

Mehr Homöopathie Bücher auf
www.narayana-verlag.de