


CCRH

Homoeopathic Drug Proving

Leseprobe

[Homoeopathic Drug Proving](#)

von [CCRH](#)



<http://www.narayana-verlag.de/b5681>

Das Kopieren der Leseproben ist nicht gestattet.

Narayana Verlag GmbH
Blumenplatz 2
D-79400 Kandern
Tel. +49 7626 9749 700
Fax +49 7626 9749 709
Email info@narayana-verlag.de
<http://www.narayana-verlag.de>

In unserer [Online-Buchhandlung](#) werden alle deutschen und englischen Homöopathie Bücher vorgestellt.



HOLARRHENA ANTIDYSENTERICA

Botanical Name		Holarrhena antidysenterica Wall.
Family	:	Apocynaceae
Synonyms	Hindi :	Kurchi, Kawar, Kura
Distribution	:	Common throughout India.
Part used	:	Dried bark

Method

The proving was conducted in 1988-90 using double blind method, universally accepted for homoeopathic proving. The drug was proved in 6, 30 and 200 centesimal potencies in descending order. The dilution was procured from M/s. Hahnemann Publishing Company (HAPCO), Kolkata. The proving was carried out at (i) Regional Research Institute, New Delhi (ii) Drug Proving Research Unit, Midnapore (W.B.). Twenty-seven (27) provers in the age group of 18-32 years from different walks of life took part in the proving. Seven (7) of them were females. The proving was conducted in accordance with the guidelines given in the Organon of Medicine (Aphorism 105 - 145).

PATHOGENESIS

Vertigo

Mind	Vertigo with constipation and fever.
Melancholic during fever.	Head
Sadness.	Headache, <i>agg.</i> while reading; <i>amel.</i> pressure.
Forgetful, difficult concentration.	
Anger with desire to hurt someone.	Headache with mild feverish feeling, <i>agg.</i> reading, motion; <i>amel.</i> tight pressure.
Irritability after loss of sleep.	

Heaviness in frontal portion gradually decreases during the day, *agg.* morning.

Bursting pain in frontal region, *agg.* walking around, talking; *amel.* closing eyes.

Sudden onset of bursting pain in frontal region, gradually increases with desire to lie down, *agg.* talking; *amel.* cold water application, open air.

Bursting pain in frontal region with fever; sensitive to noise, *agg.* afternoon; *amel.* tight bandage.

Pressing pain in frontal region with nasal catarrh, cough and mucus in throat, *amel.* pressure, open air, cold drink.

Pulsating pain in left supra-orbital region with flickering of eyelid, agg. bending forward; *amel.* light pressure.

Bursting pain extending to forehead with irritability, *agg.* attempt to concentrate; *amel.* rest.

Fullness in parietal region, *agg.* evening; *amel.* cold open air, cold application, pressure.

Stinging pain right side of head, comes suddenly, followed by tiredness.

Eye

Agglutination of right eyelids, *agg.* morning.

Nose

Sneezing with itching in nostrils and dry cough.

Coryza with watery discharge, dry cough, *agg.* hot food and drink.

Coryza with sneezing and blockage of nostrils, post nasal discharge, *agg.* night, cool air.

Burning watery nasal discharge, *amel.* open air, fan air.

Post nasal discharge like white of an egg, . while eating.

Mouth

Shallow ulcer inside upper lip with burning sensation and constipation.

Aphthae on tip of tongue with soreness, *agg.* touch.

Loss of taste with sore throat and cough.

Throat

Dryness and pain in throat as if something is lodged, *agg.* empty swallowing, swallowing food and drink.

MYGALE

Zoological Name	:	Mygale lasidora
Family	:	Antrodiaetidae
Synonym	:	Antrodiaetus lasidora
Common Names	English :	Bird spider.
Distribution	:	Cuba
Part used	:	Whole spider

Method

The proving was conducted in 1984-85 using double blind method, universally accepted for homoeopathic proving. The drug was proved in 6, 30 and 200 centesimal potencies in descending order. The dilution was procured from M/s. Hahnemann Publishing Company (HAPCO), Kolkata. The proving was carried out at (i) Central Research Institute (H), Kottayam (Kerala) (ii) Central Research Institute (H), Calcutta W.B.). Twenty two (22) provers in the age group of 16-38 years from different walks of life took part in the proving. Four (4) of them were females. The proving was conducted in accordance with the guidelines given in the Organon of Medicine (Aphorism 105 - 145).

PATHOGENESIS

u .

Throbbing pain in temples with blurred vision and desire to sleep.

Pain in occiput with heaviness, *agg.* mental exertion, reading, perspiration, Sneezing with increased salivation on traveling in heat of sun; *amel.* rest.

Eye

Painful styes on both eyelids of right eye.

Nose

Profuse nasal thin, watery discharge, *amel.* rest.

bending head forward, with fever, *agg.* congested dark room; *amel.* open air.

Face

Reddish pimples on face.

Mouth

Tongue coated white.

Painless eruption on tip of tongue.

Increased salivation with burning in mouth, *agg.* after eating.

Stomach

Empty sensation in stomach, *amel.* after eating.

Abdomen

Flatulence, *agg.* after eating; *amel.* after passing flatus.

Rectum

Stitching pain in anus, *agg.* while passing stool.

Constipation with flatulence, great straining during stool, first part of stool hard.

Flatus offensive, after passing stool.

Insufficient, scanty, mucoid stool or frequent, profuse stool with stitching pain in abdomen, *amel.* after stool.

Stool

Stool greenish, soft, semisolid, scanty, offensive with cutting pain in abdomen, *amel.* after stool.

Semisolid or loose, yellowish stool with gurgling sound; stool containing food particles.

Male

Stitching pain in left testicle with swelling.

Itching without eruptions on left side of scrotum.

Respiration/Cough

Dry cough, *agg.* heat of sun; *amel.* rest.

Thick, yellow, scanty expectoration, *agg.* morning; *amel.* open air.


Extremities

Cramping pain in both extremities, *amel.* hard pressure.

Stitching pain in left arm.

Fever

Temperature ranging from 102°F to 1 COT.



CCRH

[Homoeopathic Drug Proovings](#)

126 Seiten, paperback
erschienen 2005



bestellen

Mehr Homöopathie Bücher auf www.narayana-verlag.de