

# B. Sethi


## Homoeopathic Prophylactic Remedies

Leseprobe

[Homoeopathic Prophylactic Remedies](#)

von [B. Sethi](#)

Herausgeber: B. Jain



<http://www.narayana-verlag.de/b1490>

Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Das Kopieren der Leseproben ist nicht gestattet.  
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern  
Tel. +49 7626 9749 700  
Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)  
<http://www.narayana-verlag.de>



**ABORTION. Miscarriage. Premature expulsion of a foetus.**

*Aconite*. Impending abortion from anger or fright; fears that something terrible will happen to her. During pregnancy: restlessness, fear of death, predicts time of death.

*Aletris*. Habitual tendency to abortion, sensation of weight in uterine region, and tendency to prolapsus uteri.

*Apis Mellifica* should be cautiously given during the first three months of pregnancy in low potencies, liable to produce miscarriage. (Dr. Cowperthwaite)

Abortion during early months; stinging pains in ovarian region until labor pains ensue; scanty urine; no thirst, profuse flow.

*Arnica*. Threatened abortion from traumatism; nervous, excited; feels bruised. Feeling as if foetus was lying crosswise.

*Caulophyllum*. A very useful remedy in false labor pains and also as a preventive of abortion. There is severe pain in the back and sides of the abdomen, feeble uterine contractions and scanty flow. (Dr. W.A.Dewey)

*Chamomilla*. Threatening abortion from anger; with great nervous excitement and with discharge of dark blood, urine profuse and pale; great agony and restlessness; heaviness of whole abdomen; yawning, chills and shuddering.

*Cimicifuga*. One of our most powerful restrainers of abortion; the pains indicating the threatened miscarriage fly across the abdomen from side to side doubling the patient up. It suits habitual abortion in women of a rheumatic diathesis. (Dr. Dewey)

*Helonias* is the remedy for threatening abortion from atonic conditions; especially in habitual abortions; slightest over-exertion or irritating emotion tends to cause loss of foe-

tus.

*Nux moschata*. Threatened abortion; hysterical females disposed to fainting, feel chilly and catch cold easily; fears she will abort; continued and obstinate flooding.

*Ruta* for abortion of dead children at about seventh month, followed by a long and stow recovery.

*Sabina* is a useful remedy to prevent impending abortion occurring about the third month, pain commencing in small of back and going around and through pubes; forcing and dragging pains from the sacrum to the pubes; bright-red, clotted flow of blood. Also it is useful remedy for metritis accompanied by flooding from abortion.

*Secaleis* useful for checking the tendency to miscarriage in the early months of pregnancy, especially at third month; with copious flow of black fluid blood; false labor pains, with bloody discharge; in feeble and cachectic women, having a wan sunken countenance, pulse almost extinct, fear of death.

*Sep/ais* one of our best remedies as a preventive of abortion from fifth to seventh month; nervous irritability, fulness and pressure of blood to head and chest; feeling of heaviness in abdomen and sense of weight in the anus like a ball.

*Thuja*. Tendency to abortion, especially with gonorrhoeal history calls for Thuja. (Dr. Wheeler, M.D.)

*Viburnum opulus*. Threatening miscarriage when the pains come from the back around to the lower part of the abdomen and go into the thighs. It will often stop these spasmodic pains. It is a remedy to be used in frequent and early miscarriages. (Dr. W.A.Dewey)

*Viburnum prunifolium* 's particularly valuable in preventing abortion and miscarriage; whether habitual or otherwise;

whether threatened from accidental causes, or criminal drugging. It completely neutralizes the action of Gossypium (used for purposes of abortion) and compels the delinquent mother, however unwilling. To carry the foetus to full term. No women can possibly abort if compelled to use Viburnum. It has certainly prevented abortion in every case in which have ordered it for the purpose. (Dr. Pharty)

**ADHESIONS, tendency to. Calc fluor.**

*Calcarea florica.* Used for operations, the tendency to adhesions is reduced. (Dr. Boericke)

**AFRICAN fever. Ter.**

*Terebinthina* was recommended by Dr. Allen as a prophylactic remedy for African fever.


**AIR SICKNESS. Bor; Petr.**

*Borax* acts in the majority of cases of air sickness, because it is the sudden dip which upsets most people, and particularly their terror falling. I have had a number of cases in which I had completely stopped air sickness by 3 or 4 doses of Borax before they started flying. (Dr. D.M. Borland) For those who will be travelling by air for the first time and who have found in the past that the downward motion of a lift causes the stomach to revolt or for those who have experienced air sickness of this type, I would suggest Borax 30 to be taken on the first sign of any uneasiness. (Dr. Philip Clements)

*Petroleum* undoubtedly has prophylactic powers and may be taken in 30 potency, 3 or 4 doses before the flight.

**ALCOHOL, craving for. Angel; Arn; Asar; Caps; Caust: Cinch-rub; Kali-bi; Led; Puls; Quere; Sele; Sterc; Sul-ac.**

*Angelica* has produced disgust for alcohol; it is to be



B. Sethi

[Homoeopathic Prophylactic Remedies](#)

88 Seiten, paperback  
erschienen 2006



**bestellen**

Mehr Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise

[www.narayana-verlag.de](http://www.narayana-verlag.de)