


Jan Scholten Sense Provings

Leseprobe

[Sense Provings](#)

von [Jan Scholten](#)

Herausgeber: Alonnissos Verlag



<http://www.narayana-verlag.de/b14458>

Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Das Kopieren der Leseproben ist nicht gestattet.
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern
Tel. +49 7626 9749 700
Email info@narayana-verlag.de
<http://www.narayana-verlag.de>



0.2 Table of Contents

0. General	2		
0.1 Publication data	2		
0.2 Table of Contents	3		
0.3 Introduction	6		
0.4 Theory of provings	7		
0.5 Proving goal	9		
0.6 Proving methods	9		
0.7 Proving qualities	10		
0.8 Phases in provings	11		
0.9 Word of thanks	11		
1 Sense provings	5		
1.1 Amborella trichopoda	14	1.45 Pleurothallis lanceana	36
1.2 Annona muricata	14	1.46 Pleione bulbocodioides	36
1.3 Persea americana	15	1.47 Akebia quinata	37
1.4 Calycanthus occidentalis	15	1.48 Epimedium setosum	37
1.5 Zantedeschia albomaculata	16	1.49 Pseudofumaria lutea	38
1.6 Lysichiton americanus	16	1.50 Glaucium flavum	38
1.7 Alisma gramineum	17	1.51 Protea cynaroides	39
1.8 Aponogeton distachyos	17	1.52 Leucadendron eucalyptifolium	39
1.9 Butomus umbellatus	18	1.53 Gunnera manicata	40
1.10 Pandanus amaryllifolius	18	1.54 Cissus erosa	40
1.11 Carex grayi	19	1.55 Casearia sylvestris	41
1.12 Bouteloua aristidoides	19	1.56 Calliandra surinamensis	41
1.13 Panicum virgatum	20	1.57 Ficus carica	42
1.14 Sorghum bicolor	20	1.58 Morus nigra	42
1.15 Socratea exorrhiza	21	1.59 Cayaponia tayuya	43
1.16 Mauritia flexuosa	21	1.60 Hylothelephium spectabile	43
1.17 Hedychium gardnerianum	22	1.61 Chrysosplenium davidianum	44
1.18 Costus arabicus	22	1.62 Astilbe rubra	44
1.19 Curcuma alismatifolia	23	1.63 Bergenia ciliata	45
1.20 Roscoea scillifolia	23	1.65 Melianthus major	46
1.21 Commelina communis	24	1.66 Lythrum salicaria	46
1.22 Tinantia violacea	24	1.67 Heimia salicifolia	47
1.23 Tradescantia virginiana	25	1.68 Cuphea ignea	47
1.24 Pontederia cordata	25	1.69 Lopezia racemosa	48
1.25 Aechmea nidularioides	26	1.70 Boisduvalia densiflora	48
1.26 Billbergia nutans	26	1.71 Clidemia capitellata	49
1.27 Aechmea chantinii	27	1.72 Miconia papillosa	49
1.28 Crocosmia crocosmiiflora	27	1.73 Tibouchina elegans	50
1.29 Freesia corumbosa	28	1.74 Combretum laxum	50
1.30 Geissorhiza monanthos	28	1.75 Combretum paniculatum	51
1.31 Ornithogalum candicans	29	1.76 Hermannia salicifolia	51
1.32 Eucomis comosa	29	1.77 Abelmoschus esculentus	52
1.33 Lachenalia comptonii	30	1.78 Malva sylvestris	52
1.34 Hosta sieboldiana	30	1.79 Grewiacaffra	53
1.35 Allium cepa	31	1.80 Paullinia cupana	53
1.36 Agapanthus praecox	31	1.81 Tropaeolum majus	54
1.37 Amaryllis belladonna	32	1.82 Limnanthes macounii	54
1.38 Allium sativum	32	1.83 Crataeva tapia	55
1.39 Scadoxus puniceus	33	1.84 Cleome spinosa	55
1.40 Tulbaghia violacea	33	1.85 Isatis tinctoria	56
1.41 Lapageria rosea	34	1.86 Scybalium fungiforme	56
1.42 Tricyrtis hirta	34	1.87 Anredera cordifolia	57
1.43 Maxillaria uncata	35	1.88 Talinum paniculatum	57
1.44 Eriopsis biloba	35	1.89 Hylocereus undatus	58
		1.90 Portulaca grandiflora	58
		1.91 Delosperma cooperi	59
		1.92 Lampranthus aureus	59
		1.93 Carpobrotus deliciosus	60
		1.94 Gibbaeum pubescens	60
		1.95 Mirabilis jalapa	61
		1.96 Amaranthus retroflexus	61
		1.97 Celosia argentea	62
		1.98 Gomphrena serrata	62
		1.99 Myricaria germanica	63
		1.100 Limonium sinuatum	63
		1.101 Persicaria virginiana	64
		1.102 Triplaris peruviana	64
		1.103 Persicaria capitata	65
		1.104 Phlox drummondii	65

1.105	<i>Polemonium caeruleum</i>	66	3.13	<i>Simmondsia chinensis</i>	100
1.106	<i>Clavija biborrana</i>	66	3.14	<i>Styrax benzoin</i>	100
1.107	<i>Pterostyrax hispidus</i>	67	3.15	<i>Plumeria obtusa</i>	101
1.108	<i>Clethra alnifolia</i>	67	3.16	<i>Olea europaea</i>	101
1.109	<i>Erica ciliaris</i>	68	3.18	<i>Pogostemon cablin</i>	102
1.110	<i>Caiophora lateritia</i>	68			
1.111	<i>Loasa triphylla</i>	69	4.	Dream Provings	103
1.112	<i>Davidia involucrata</i>	69	4.1	<i>Illicium verum</i>	106
1.113	<i>Kirengeshoma palmata</i>	70	4.2	<i>Echinodorus macrophyllus</i>	106
1.114	<i>Phuopsis stylosa</i>	70	6.1	<i>Poa annua</i>	107
1.115	<i>Cephalanthus occidentalis</i>	71	4.1	<i>Narcissus pseudonarcissus</i>	108
1.116	<i>Hippuris vulgaris</i>	71	4.2	<i>Dactylorhiza maculata</i>	109
1.117	<i>Calceolaria tripartita</i>	72	4.3	<i>Ceratophyllum submersum</i>	112
1.118	<i>Aeschynanthus micranthus</i>	72	4.4	<i>Maytenus ilicifolia</i>	114
1.119	<i>Codonanthe crassifolia</i>	73	4.5	<i>Hypericum perforatum</i>	117
1.120	<i>Alonsoa meridionalis</i>	73	4.6	<i>Euphorbia amygdaloides</i>	118
1.121	<i>Buddleja davidii</i>	74	4.7	<i>Euphorbia resinifera</i>	120
1.122	<i>Clerodendrum trichotomum</i>	74	4.8	<i>Quercus robur</i>	121
1.123	<i>Lathraea clandestina</i>	75	4.9	<i>Fagus sylvatica</i>	123
1.124	<i>Justicia brandegeana</i>	75	4.10	<i>Alchemilla vulgaris</i>	123
1.125	<i>Petalidium coccineum</i>	76	4.11	<i>Erodium cicutarium</i>	124
1.126	<i>Pachystachys spicata</i>	76	4.12	<i>Bougainvillea glabra</i>	126
1.127	<i>Acanthus hungaricus</i>	77	6.1	<i>Ocimum basilicum</i>	127
1.128	<i>Strobilanthes atropurpureus</i>	77	4.1	<i>Helianthus annuus</i>	128
1.129	<i>Verbena bonariensis</i>	78	4.2	<i>Achillea millefolium</i>	129
1.130	<i>Podranea ricasoliana</i>	78			
1.131	<i>Eccremocarpus scaber</i>	79	5.	Picture provings	131
1.132	<i>Campsis radicans</i>	79	5.1	<i>Strelitzia reginae</i>	132
1.133	<i>Utricularia foliosa</i>	80	5.2	<i>Epimedium acuminatum</i>	135
1.134	<i>Petunia integrifolia</i>	80	5.3	<i>Paranomus reflexus</i>	138
1.135	<i>Brunfelsia uniflora</i>	81	5.4	<i>Ochna serrulata</i>	140
1.136	<i>Ilex aquifolium</i>	81	5.5	<i>Pellacalyx axillaris</i>	142
1.137	<i>Cosmos bipinnatus</i>	82	5.6	<i>Phyllis pubescens</i>	145
1.138	<i>Aster amellus</i>	82	5.7	<i>Pelargonium reniforme</i>	146
1.139	<i>Pittosporum tobira</i>	83	5.8	<i>Sonneratia caseolaris</i>	147
1.140	<i>Abelia longifolia</i>	83	5.9	<i>Melaleuca leucadendra</i>	150
1.141	<i>Patrinia gibbosa</i>	84	5.10	<i>Pimelea brachyphylla</i>	152
1.142	<i>Centranthus ruber</i>	84	5.11	<i>Aptenia cordifolia</i>	153
1.143	<i>Succisa pratensis</i>	85	5.12	<i>Carpobrotus edulis</i>	158
1.144	<i>Heptacodium miconioides</i>	85	5.13	<i>Glottiphyllum depressum</i>	162
			5.14	<i>Spergularia rubra</i>	166
2.	Trituration provings	87	5.15	<i>Gelsemium sempervivens</i>	168
2.1	<i>Euphorbia lactea</i>	88	5.16	<i>Cynoglossum officinale</i>	170
2.2	<i>Gaura lindheimeri</i>	90	5.17	<i>Forsythia europaea</i>	172
			5.18	<i>Jasminum officinale</i>	174
			5.19	<i>Syringa vulgaris</i>	177
3.	Bath provings	93	5.20	<i>Lantana camara</i>	178
3.1	<i>Cananga odorata</i>	94	5.21	<i>Wyethia helenioides</i>	180
3.2	<i>Aniba rosaedora</i>	94	5.22	<i>Linnaea borealis</i>	184
3.3	<i>Cinnamomum verum</i>	95	5.23	<i>Scabiosa columbaria</i>	186
3.4	<i>Cymbopogon martini</i>	95	5.24	<i>Lonicera japonica</i>	188
3.5	<i>Elettaria cardamomum</i>	96	5.25	<i>Lonicera xylosteum</i>	190
3.6	<i>Convallaria majalis</i>	96			
3.7	<i>Clematis recta</i>	97			
3.8	<i>Pelargonium asperum</i>	97			
3.9	<i>Myrtus communis</i>	98			
3.10	<i>Tilia europaea</i>	98			
3.11	<i>Litchi sinensis</i>	99			
3.12	<i>Dimocarpus longan</i>	99			

0.3 Introduction

Companion of Wonderful Plants

This book is a companion of the book "Wonderful Plants", where the Plant theory is described. My original idea was to publish the proving in this book in the Wonderful plant book. But gradually that gave more problems. The proving take up much space and Wonderful Plants would have become thicker and heavier. A second objection is that the provings, especially the long ones like the picture proving disrupt the flow of the Wonderful plant book. Therefore I decided to place the proving in a separate book., the book Sense proving. It is meant as a reference book for further study.

Provings

I started doing dream proving in a study groups. In dream proving we took the remedy the evening before the meeting and then put our attention on the dreams that following night and all other experiences and events. Those proving often were quite nice but they're fragmentary and seldom led to a correct prescription. Then I started with meditation proving during seminars, letting the participants of the seminar hold the remedy in their hand and meditate on it for about 10 minutes. The advantage is that they were short, taking little time. But the result was very inaccurate , containing a lot of noise. It was very difficult to find out the valuable symptoms in between of them. The change to picture proving made little difference. In picture proving a picture of the remedy, mostly a plant, is shown to the participants, mostly of a seminar, and they meditate on it for about 10 minutes. Also picture provings produced much noise and some valuable in symptoms in between, but difficult to recognise.

Bath proving

By accident I discovered the bath proving. I once did too much of an essential oil in one of my baths. The smell and other impression were so intense that I got all kinds of symptoms. I started doing them more regularly. But they mostly gave a kind of atmosphere, a kind of sensation and emotion and some physical symptoms. An essence was lacking. In hindsight I think it was because my lack of knowledge of the essential aspects of proving.

Classical provings

Classical provings were always an option. One reason to keep me from doing them is the amount of time and energy that go into them. Classical provings from other homeopaths also showed noise and many symptoms with a lack of coherence. The repertories got filled with symptoms of such proving without giving a real understanding.

Trituration provings

The next step was doing trituration proving, where 3 to 5 provers triturate a remedy to a C3 potency during 3 to 4 hours and meditate on it. I had heard good results from them from several sources such as Jonathan Shore. The proving seminar On Lamu, an island in front of the coast of Kenya, was very revealing. We did

proving of 16 remedies with very good results. For the first time I had the impression that the proving result was quite reliable and good prescriptions could be made on those pictures later on. In the Lamu proving I also discovered the 3 phases of provings and that many prove nags get stuck in Phase 1, the expression phase. That espresso phase gives a lot of symptoms that are only expression. They gives a chaotic, fragmentary picture that doesn't make sense. One has to go to the next phase, the problem phase to understand the problem. Than the picture gets meaning, becomes a whole. I also learned that one can facilitate that transfer from expression phase to problem phase. It is fairly easy for provers to reach the third phase of solution after reaching the problem phase. The next proving seminar in Kenton on sea, a city on the coast of South Africa, benefited very much from this understanding and the provers were grown into the way of those proving. The results were even better but especially achieved with less effort. The result of those two proving seminars are publish in "Lamu provings" and "Kenton provings".

Sense provings


In the same period that I started with the Trituration proving I started also with the sense proving. A story triggered it. I read about a shaman who was disappointed in his herbalism and almost give up but then suddenly got the idea that he could talk to the plants to know what they could heal and for which patient they were needed. From then on he had good results again. I realised that one can get a picture by doing a simple kind of proving by just smelling, tasting, experiencing and looking at a plant. Sense proving can give a good result in quite a short time. One can do them alone or with others. The realist depends on how deep one can go into the proving. Also here on has to go one level deeper, from expression phase to problem phase. When that is successful, the result is also quite good, good enough to get successful prescriptions.

Result

Since that time the Sense and Trituration proving have been my main source of proving information. In this book Sense proving one can find the sense provings, some trituration provings and the bath, dream and picture provings. They can be used as sources for later research and comparison.

Conclusion

The experience with different kinds of proving have learned me several things. The first is that the form of the proving is not very relevant. The main thing is the focus, the attention of the prover on the remedy. In Trituration and Sense proving the attention is very high, the focus is only on the remedy. In classical proving that is the opposite, there is very much diversion. A second aspect is trust. Provers have to trust the process to set their critical personality aside during the proving. The critic is a very helping personality in general, but during the proving he is detrimental, killing all the symptoms. The third factor is that one has to dive one level deeper than the expression level to get an idea of what the remedy is really about. These aspects are described further in the Chapters "Theory of Provings" and "Phases in Provings".



Jan Scholten

Sense Provings

Companion to Wonderful Plants

192 Seiten, paperback
erschienen 2013



bestellen

Mehr Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise

www.narayana-verlag.de