

# Constantin Hering


## The Guiding Symptoms of our Materia Medica

Leseprobe

[The Guiding Symptoms of our Materia Medica](#)

von [Constantin Hering](#)

Herausgeber: B. Jain



<http://www.narayana-verlag.de/b2119>

Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Das Kopieren der Leseproben ist nicht gestattet.  
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern  
Tel. +49 7626 9749 700  
Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)  
<http://www.narayana-verlag.de>



# GUIDING SYMPTOMS

OF OUR

## MATERIA MEDICA.

### ABIES NIGRA.

*Black Spruce.*

*Coniferx.*

The *Pinus nigra* or black spruce of this country.

Proved by Dr. Leaman, *Ohio Medical and Surgical Reporter.*

- <sup>1</sup> **Mind.** Inability to think or study.  
I Verj' low-spirited; melancholy.
- <sup>2</sup> **Sensorium.** Dizziness; bad feeling in head.
- <sup>3</sup> **Inner Head.** I Headache.  
• Terrible distress in head, generally with some flushing of face. Dyspepsia.
- \* **Outer Head.** Head hot, with flushed cheeks.
- <sup>10</sup> **Gums.** : Scurvy.
- <sup>13</sup> **Throat.** Choking sensation in throat.
- <sup>14</sup> **Appetite.** Exceedingly hungry and wakeful at night.  
I I Total loss of appetite in morning, craving for food noon and night.
- <sup>16</sup> **Eating.** iPain after a hearty meal.  
I Abstinence from particular food does not >. Dyspepsia.
- <sup>16</sup> **Belching and Vomiting.** I Belching.  
' Acid eructations.  
I Frequent vomiting of food.
- <sup>17</sup> **Scrobiculum and Stomach.** I Severe pain in stomach after eating.

# GUIDING SYMPTOMS

OF OUR

## MATERIA MEDICA.

### CUNDURANGO

*Condorplant.*

*Asclepiadaceas.*

The bark of a climbing plant or shrub, found growing in a high altitude in Ecuador, South America, Provings by J. C. Burnett and J. P. Dinsmore.

The tincture is prepared from the dried bark, finely powdered.

CLINICAL AUTHORITIES.—*Headache, etc.*, Dinsmore, Hah. Mo., v. 8, p. 67; *Cancer on l. side of nose, on eyelid*, Friedreich, B. J. H., vol. 33, p. 188; *Eruption on face*, Burnett, B. J. H., v. 33, p. 408; *Oracks in angles of mouth*, Burnett, B. J. H., v. 33, p. 407; *Organon*, v. 3, p. 88; *Carcinomatous ulcer of lip*, C. I. Miiller, B. J. H., y. 30, p. 639; *Fistulous ulcer on chin* (greatly benefited), Farrington, Horn. Clin., v. 4, p. 127; *Cancer of breast, face, nose*, Humphreys, J. T. Smith, N. E. M. G., v. 6, p. 536; *Disease of stomach*, Fischer, B. J. H., v. 33, p. 551; *Cancer of stomach*, Sasnger, N. A. J. H., v. 26, p. 132; *Friederich*, N. A. J. H., v. 22, p. 555; *Rhagades at anus*, Burnett, B. J. H., v. 33, p. 407; *Incontinence of urine*, Burnett, B. J. H., v. 33, p. 408; *Carcinomatous ulcer on thorax* (2 cases), C. I. Miiller, B. J. H., v. 30, p. 647; *Tumor in breast*, Burnett, Organon, v. 3, p. 88; *Scirrhus of r. breast* (much improved), Miller, Hah. Mo., v. 11, p. 353.

<sup>1</sup> Mind. \_ Feels miserable.

<sup>2</sup> **Sensorium.** Great dizziness on stooping, or turning head.

<sup>3</sup> **Inner Head.** Sensation as if forehead was very broad and high.

Dull feeling in forehead.

Slight heaviness in l. half of forehead, while r. half is clear; sensation as if l. half were higher than r. half.

• Violent pain in l. temple.

iSharp, cutting pain in l. temple, and through ball of l. eye.

# GUIDING SYMPTOMS

OF OUR

# MATERIA MEDICA.

## HEPAR SULPH. CALC.

*Sulphuret of Lime.*

*Ca. S.*

Introduced by Hahnemann, who used the white interior of oyster shells and pure flowers of sulphur, from which are prepared the triturations.

Provings by Hahnemann, Stapf, etc. See Allen's Encyclopedia, vol. 4, p. 572.

CLINICAL AUTHOMTIES.—*Mania with scabies*, Sztaraveszki, Horn. Clinics, vol. 1, p. 56; *Affection of mind*, Dulac, Med. Inv., vol. 9, p. 145; Raue's Rec, 1873, p. 4i; *Headaches*, Simmons, Organon, vol. 2, p. 66; *Sensitiveness of scalp*, Ohase, Organon, vol. 3, p. 377; *Eruption about ears*, Edgar, Organon, vol. 3, p. 98; *Iritis with hypopyon*, Hills, Raue's Rec, 1873, p. 70; *Kerato-iriiiis*, Payr, Raue's Rec, 1870, p. 107; *Hypopyon* (3 cases), Gallavardin, Calcutta 3&kt., vol. 1, p. 274; Farrington, Komdcerfer, Raue's Rec, 1872, p. 75; Bicking, Ruck. Kl. Erf., vol. 1, p. 254; *Epithelioma of cornea*, Hills, Trans. Am. Inst. Horn., 1872, p. 521; *Herpes cornea*, Baue's Rec, 1871, p. 58; *Ophthalmia argenti*, Ruck. Kl. Erf., vol. 1, p. 271; (6 cases), Gallavardin, Calcutta Jour., vol. 1, p. 274; *Traumatic ophthalmia*, Caspari, B. J. H., vol. 6, p. 366; *Catarthal inflammation of eyes*, Knorre, B. J. H., Vol. 6, p. 364; *Inflammation of eyes*, Schreter, B. J. H., vol. 6, p. 365; *Scrofulous inflammation of eyes*, Tuff, Kallenbach, Gross, Ruck. Kl. Erf., vol. 5, p. 125; Bicking, Allg. Kl. Erf., vol. 1, p. 268; *Inflammation of lids*, Griesselich, B. J. H., vol. 6, p. 364; *Itching of ears after scarlatina* (2 cases), Walker, Raue's Rec, 1874, p. 91; *Coryza, ozcena*, Kafka, Raue's Rec, 1870, p. 124; Boyce, B. J. H., vol. 34, p. 494; *Charge?*, Ruck. Kl. Erf., vol. 1, p. 397; *Affection of nose*, Starr, Horn. Clinics, vol. 3, p. 17; *Scrofulous inflammation of nose*, Sattorordin, Calcutta Journ., vol. 1, p. 274; *Affection of cheek*, Bathig, Horn. Clinics, vol. 1, p. 171; *Affectum of inferior maxillary*, Ostrom, Times Retros., 1875, p. 19; *Patotitis*, Sircar, Baue's Rec, 187, p. 87; *Tonsillitis*, Wurmb, Hirsch, Ruck. Kl. Erf., vol. 5, p. 239; VOL. vi.—1.

# GUIDING SYMPTOMS

OF OUR

## MATERIA MEDICA.

### LACHNANTHES TINCTOHA.

#### *Red Root.*

AM herb growing in sandy swamps near the coast; the root red, fibrous; the leaves sword-shaped; the stem hairy; flowers yellow, woolly. The first specimen was sent in 1852 by Dr. Byron, from Mouticello, Florida, to Hering, under whose direction it was proved by Raue, Lippe and Fincke. See Am. Horn. Rev., vol. 4, p. 458.

CLINICAL AUTHORITIES.—*Headache*, Liiienthal, Hom. Clin., vol. 1, p. 26; *Dryness of throat*, Lippe, Am. Horn. Rev., vol. 5, p. 488; *Diphtheria*, Hoafeld, Parker, Org., vol. 3, p. 369; *Stiff neck*; Berridge, Horn. Clin, vol. 4, p. 108; *Typhoid pneumonia*, Dufield, Am. Horn. Rev., vol. 4, p. 489.

#### *Hsemodoracex.*

<sup>1</sup> **Mind.** While dozing through day, sees images.

11 Loquacious delirium, brilliant eyes, circumscribed red cheeks, < from 1 to 2 A.M. 0Typhoid pneumonia.

Loquacity, afterwards stupid and irritable.

Excited over a trifle.

Restless while perspiring; tosses about; whining.

Great hilarity in evening.

iDyspnoea, bitter crying spells. ^Headache.

\* **Sensorium.** Giddy; with sensation of heat in chest and around heart, boiling bubbling; with icy coldness of forehead.

<sup>s</sup> **Inner Head.** Tearing: in forehead from l. to r. side; in r. temple, extending to cheek; in temples.

vau vn>-1.

# GUIDING SYMPTOMS

OF OUK

## MATERIA MEDICA.

### STAPHISAGRIA.

*Stavesacre.*


*JRanunculacex.*

A native of the south: of Europe.

The alcoholic solution is prepared from the ripe seed.

Introduced by Hahnemann, and proved by himself, Cubits, Franz, Gross, Gutmann, Hartmann, Homburg, Haynel, Hennann, Kummer, Langhammer, Stapf, and Teiuhorn, *Arxneimittellehre*, vol. 5, p. 291.

CLINICAL AUTHORITIES.—*Menial disturbance*, Lippe, *Org.*, vol. 1, p. 269; *Want of memory*, Neidhard, B. J. H., vol. 27, p. 554; *J5ra.in-fag*, Kent, *Horn. Phys.*, vol. 6, p. 317; *Tinea capitis*, Bell, *Org.*, vol. 3, p. 373; Adams, *Org.*, vol. 3, p. 361; *Scald-hwd*, McNeil, *Org.*, vol. 2, p. 382; *Tinea capitis, and htepliaritis marginalis*, Way, *Hah. Mo.*, vol. 15, p. 86; *Syphilitic iritis*, Bacon, *Norton's Gpht. Therap.*, p. 172; *Laceration of cornea*, Gilchrist, M. I., vol. 2, p. 659; *Affection of eye*, Ber-ridge, N. A. J. If., vol. 22, p. 194; *Hordeolum*, Tietze, *Buck. Kl. Erf.*, vol. 1, p. 242; *Oslrom*, *Org.*, vol. 3, p. 204; *Chalazion*, Lorbacher, A. H. Z., vol. 94, p. 100; *StecUma of eyelid*, Koch, A. J. H. M. M., vol. 2, p. 221; *Tumors of eyelid* (2 cases), Allen, *Am. Horn.*, Aug., 1878, p. 75; Allen, *Org.*, vol. 2, p. 131; *Affection of eyelids*, Nash, *Org.*, vol. 2, p. 220; *Prosopalgia*, Neumann, *Ruck. Kl. Erf.*, vol. I. Di.jJSA; Eayes, A. H. Z., vol. 112, p. 181; *Caries of lower jaw*, Lentin, A. H. Z., vof.Ti"2, p. 181; *Toothache*, Clarke, *Horn. World*, Oct., 1889; *Vascular tumor of gulHs*, Fau Vpi-nier, H. M., vol. 13, p. 318; *Stonuccace*, Ruramel, *Ruck. Kl. Erf.*, vol. I^jte^ljjfc *Affections of tonsils*, Hirsch, *Hendrichp, Riick. Kl. Erf.*, vol. 5, p. 251; *Cfedioliija*, Gauthier, A. H. Z., vol. 112, p. 180; *Gall-Hone colic*, Tompkins, *Hon- PnyB,* vol. 9, p. 131; *Diarrhcea*, Hartmann, *Riick. Kl. Erf.*, vol. 1, p. 878; *Constipation*,—, H. W., 1876, p. 129; *Hemorrhoids*, Preston, *Hah. Mo.*, vol. 4, p. 253; *Pain in kid-neys*, Miller, *Med. Adv.*, vol. 20, p. 33; *Enuresis*, L. in Z., *Ruck. KfcVIH^Vol. 2*, p. 45; Gross, A. H. Z., vol. 28, p. 101; *Nocturnal emissions*, Williamson, T;H.Td.



Constantin Hering

[The Guiding Symptoms of our Materia Medica](#)

Mini Size 10 Vol.

5708 Seiten, geb.  
erschienen 2005



**bestellen**

Mehr Bücher zu Homöopathie, Alternativmedizin und  
gesunder Lebensweise [www.narayana-verlag.de](http://www.narayana-verlag.de)